
AN EVALUATION OF ROTARY AIR STRIPPING FOR REMOVAL OF UOLATILE ORGANICS FR. (U) TRAVESSE GROUPING ANN ARBOR MIPR-FY8952-83-10019 AD-A178 831 1/1 UNCLASSIFIED NL END 5787



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU DE TANCARE COLOR

AD-A178 831

THE COPY

2

AN EVALUATION OF ROTARY AIR STRIPPING FOR REMOVAL OF VOLATILE ORGANICS FROM GROUNDWATER

CHRIS DIETRICH, DIANNE TREICHLER, JOHN ARMSTRONG

TRAVERSE GROUP, INC... 2480 GALE ROAD ANN ARBOR MI 48105

FEBRUARY 1987

FINAL REPORT MARCH 1985- SEPTEMBER 1986 SELECTE APR 0 3 1987

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED





ENGINEERING & SERVICES LABORATORY AIR FORCE ENGINEERING & SERVICES CENTER TYNDALL AIR FORCE BASE, FLORIDA 32403

87 4 1 047

# NOTICE

PLEASE DO NOT REQUEST COPIES OF THIS REPORT FROM HQ AFESC/RD (Engineering and Services Laboratory).

Additional copies may be purchased from:

National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161

FEDERAL GOVERNMENT AGENCIES AND THEIR CONTRACTORS
REGISTERED WITH DEFENSE TECHNICAL INFORMATION CENTER
SHOULD DIRECT REQUESTS FOR COPIES OF THIS REPORT TO:

Defense Technical Information Center Cameron Station ALEXANDRIA, VIRGINIA 22314

REPORT DOCUMENTATION PAGE					
1a REPORT SECURITY CLASSIFICATION 1b. RESTRICTIVE MARKINGS					
UNCLASSIFIED		TO. RESTRICTIVE	INIMAKIINOS		
da SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION			
26 DECLASSIFICATION / DOWNGRADING SCHEDULE		Approved f unlimited.	or public r	elease; d	istribution
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5 MONITORING	ORGANIZATION F	REPORT NUMB	iER(S)
		ESL-86-46			
6a NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL (If applicable)	7a NAME OF MO	ONITORING ORGA	NIZATION	
Traverse Group, Inc.	(ir applicable)	US COAST	GUARD		i
6c ADDRESS (City, State, and ZIP Code)	<del></del>	7b ADDRESS (City, State, and ZIP Code)			
2480 Gale Road		9th Coas	t Guard Dis	trict	
Ann Arbor MI 48105			t 9th Stree	t	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b OFFICE SYMBOL	9 PROCUREMENT	<u>d OH 44199</u> FINSTRUMENT IC	DENTILICATION	NUMBER
HQ AFESC	(If applicable) RDVW	USAF MIPR	No. FY8952	-85-10019	)
8c ADDRESS (City, State, and ZIP Code)		10. SOURCE OF F	UNDING NUMBE	RS	
Engineering and Services Labora	atory	PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT
Tyndall AFB FL 32403-6001		63723F	2103	90	ACCESSION NO -
11 TITLE (Include Security Classification)		037231	2103	<u> </u>	
An Evaluation of Rotary Air Str	cipping for Remo	val of Volat	ile Organio	s from Gr	roundwater
2 PERSONAL AUTHOR(S) Dietrich, Chris; Treichler, Dia	anne; Armstrong,	John			
13a TYPE OF REPORT 13b TIME COVERED 14 DATE OF REPORT (Year, Month, Day) 15 PAGE COUNT Final FROM 3/1/85 TO 9/1/86 February 1987 91					
16 SUPPLEMENTARY NOTATION Availability of this report is specified on reverse of front cover.					
17 COSATI CODES	18 SUBJECT TERMS (C	Continue on revers	a if possessor an	d identific by	black number)
FIELD GROUP SUB-GROUP	1		•		ipper, hazy. owi
01	rotating packe				
04	coefficients,	benzene, tol	uene, xylen	es, (cont	inued)——— 🌂
ABSTRACT (Continue on reverse if necessary	and identify by block n	number)	a malabila		ontominonta
Rotary air stripping wa/s resear from groundwater. The Traverse	e Group, Inc., A				
funding venture by the US Coast					
using rotary air stripping to t					
trichloroethylene, 1,2,dichloro					
contamination at the US Coast (					
source of contaminated water for this work. A prototype rotary air stripper (RAS),					
manufactured specifically for this project, was installed onsite in Traverse City MI. The					
RAS (consisting of a packed bed 1.7 feet in diameter by 1.2 feet thick) was evaluated over a range of contaminant concentrations (63 to 19,000 ppb), liquid flow rates (50 to 120 gpm),					
air to water ratios (10:1 to 170:1 vol/vol), and rotor speeds (365 to 875 rpms). The effect					
of each parameter on removal efficiency was analyzed. Generally, removal efficiencies in					
excess of 99 percent were achieved for all contaminants (except 1,2-DCE) at an air-to-water ratio and rotor speed of 30:1 vol/vol and 435 rpms, respectively.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION					
© UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS UNCLASSIFIED  22a NAME OF RESPONSIBLE INDIVIDUAL  22b TELEPHONE (Include Free Code) 22c OFFICE SYMBOL					
RICHARD A. ASHWORTH, Capt, US		(904) 283	-4628		FESC/RDVW
DD FORM 1473, 84 MAR 83 AP	Redition may be used un	til exhausted	LECURITY		ON OF THIS BACE

All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE K-1000 d

18. SUBJECT TERMS (Continued)

Fuel contamination, chlorinated organics.



19. ABSTRACT (Continued). efficiency increased with air-to-water ratic and rotor speed, but was not affected by contaminant concentrations. Preliminary calculations show the operating cost of the RAS is higher than a conventional countercurrent packed column (CCPC), but for a CCPC to achieve the same removal efficiency requires a much larger packed bed volume.

# PREFACE

This report was prepared by the Traverse Group, Inc., of Ann Arthur M 48105. This work was contracted under a joint venture by the HS Air Force and the US Coast Guard, MIPR No FY8952-85-10019.

The report is an evaluation of a prototype rotary air stripper for removing five organic compounds from groundwater. The work was performed between October 1985 and September of 1986. The AFESC/RDVW Project officer was Captain Richard A. Ashworth.

The success of this project is due in part to the dedication and hard warr of Mr Bill Newman, TGI Environmental Chemist, and Ms Katny Hill, TGI Data Processor. Special thanks goes to Commander John Sammons and Capt Randy Gross for their roles in facilitating the installation of the equipment and in initiating this research project.

Mention of trademarks and trade names of material and equipment does not constitute endorsement or recommendation for use by either the Air Force or  $\sim 5$  Coast Guard, nor can the report be used for advertising the product.

This report has been reviewed by the Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS). At (111), it will be available to the general public, including Foreign Nationals.

This technical Report has been reviewed and is approved for publication.

Richard a asherth

RICHARD A. ASHWORTH, Capt, USAF, BSC Project ufficer

RUBERT F. OLFENBUTTED, Lt Col, USAF, BSC Chief, Environics Division

Thomes Willen

THOMAS J. WALKER, Maj, MAR, BAS Chief, Environmental Eng Branch

LAWRENCE D. HUKANSON, Lt Col, USAF Director, Engineering and Services

Laboratory

DTIC SOFY INSPECTED E

Accesio	n For		
NTIS		A	}
DT'C		Ĺ.	•
Unannounced [] Justification			
By Distribution/			
Availability Codes			
Dist	Avarti. Spe		<del></del>
A-1	i i		

iii

(The Reverse of This Page is Blank)

# TABLE OF CONTENTS

Section	Title	Page
I	INTRODUCTION	3
	A. OBJECTIVE	1
	C. APPROACH	2
11	ROTARY AIR-STRIPPING SYSTEM	3
	A. ROTARY AIR-STRIPPING THEORY	3
	B. SYSTEM DESCRIPTION	4 8
III	EVALUATION	10
	A. DETERMINATION OF OPERATING CONDITIONS	10
	B. REMOVAL EFFICIENCIES OF BENZENE AND TOLUENE	13
	C. REMOVAL EFFICIENCEIES OF CHLORINATED COMPOUNDS	15
	D. CONCENTRATION EFFECTS	15
	E. TEMPERATURE EFFECTS	22
	F. FLOODING CORRELATIONS	24
	G. MASS TRANSFER COEFFICIENTS	24
	H. COMPARING ROTARY AND COUNTERCURRENT PACKED-COLUMN	
	AIR-STRIPPING	26
	I. OPERATION AND MAINTAINANCE	29
	J. TREATMENT COSTS FOR RAS	30
IV	SAMPLING PROCEDURES AND SAMPLE ANALYSIS	33
	A. SAMPLING PROCEDURE	33
	B. SAMPLE ANALYSIS	33
v	conclusions	35
VI	RECOMMENDATIONS	36
VII	REFERENCES	37
APPENDIX		
а т	ARODATION STANDADDS DDEDADATION	2.0

# TABLE OF CONTENTS (CONCLUDED)

Sec	tio	n Title	Page
API	PEND:	IX	
	В	SAMPLE CALCULATIONS	40
		A. PERCENT FLOOD CALCULATIONS	42
	С	CONVERSION FACTORS	45
	D	APPENDIX D: DATA FILES	47
		LIQUID TEMPERATURE, GAS-TO-LIQUID RATIO  ROTATIONAL ROTOR VELOCITY (RPM)  REMOVAL EFFICIENCY OF BENZENE AND TOLUENE  REMOVAL EFFICIENCY OF TRICHLOROETHYLENE AND	53
		1,2-DICHLOROETHANE  REMOVAL EFFICIENCY OF TETRACHLOROETHYLENE  DATA FROM FIGURES 4, 5, 6, 7, AND 8  DATA FROM FIGURES 9, 10, AND 11  DATA FROM FIGURE 13  DATA FROM FIGURE 14  CALCULATED KLA FROM BENZENE ANALYSES	63 64 67 70
		The train banband mindibab	7.0

# LIST OF FIGURES

Figure	Title	Page
1	Coast Guard Water Treatment Building and Rotary Air Stripper	5
2	Cross Section of Rotary Air Stripper Rotor	6
3	Plumbing Layout of the Rotary Air Stripper	7
4	Benzene Removal Efficiency vs. Gas-to-Liquid Ratio	11
5	Toluene Removal Efficiency vs. Gas-to-Liquid Ratio .	1.2
6	Trichloroethylene Removal Efficiency vs. Gas-to-Liquid Ratio	16
7	Tetrachloroethylene Removal Efficiency vs. Gas-to-Liquid Ratio	17
8	1,2-Dichloroethane Removal Efficiency vs. Gas-to-Liquid Ratio	18
9	Effect of Concentration on Removal Efficiency of Benzene	19
10	Effect of Concentration on Removal Efficiency of Toluene	20
11	Effect of Concentration on Removal Efficiency of 1,2-Dichloroethane	21
12	Effect of Temperature on Removal Efficiency of Benzene	. 23
13	Pressure Drop Across the Rotor for Varying Rotor rpm	. 25
14	Benzene KLa's vs. Rotor Speed for Different Gas-to-Liquid Ratios	27
15	Benzene KLa's vs. Gas-to-Liquid Ratio	28
16	Power Consumption of Rotary Air Stripper vs. Gas-to-Liquid Ratio	31
B-1	Sherwood Flooding Correlation Curve	4.1

vii
(The Reverse of This Page is Blank)

## SECTION I

## INTRODUCTION

## A. OBJECTIVE

This report summarizes the field evaluation of a protoype Rotary Air Stripper (RAS) located at the United States Coast Guard Air Station Traverse City, Michigan. Objectives of the evaluation were as follows:

- 1. Determine removal efficiency of a rotary air-stripper for volatile organics.
- 2. Determine the cost efficiency of rotary air-stripping water contaminated with chlorinated and nonchlorinated hydrocarbons.
- 3. Evaluate operation and maintainance requirements for a rotary air-stripping facility.

## B. BACKGROUND

To further develop groundwater cleanup technologies, the US Coast Guard and the US Air Force, jointly contracted with Glitsch Corp. to build a prototype RAS for evaluation at the USCG Air Station in Traverse City, Michigan. The Traverse Group, Inc. (TGI), of Ann Arbor, Michigan, had been contracted by the Coast Guard to manage the Groundwater cleanup project at the Traverse City Air Station in October of 1984. TGI was also tasked with the installation, experimentation, and evaluation of the RAS.

found volatile organic compounds were groundwaters of East Bay Township, Traverse City, Michigan. Investigations by the United States Geological Survey indicated that the US Coast Guard Air Station might be the source of the contamination (Reference 1). In 1985, a hydraulic fence of pumping wells was installed to effectively block the further migration of contaminated groundwaters from Coast Guard property. Pilot-scale granular activated carbon and air-stripping studies were conducted to evaluate treatment alternatives for the contaminated water. Both treatment alternatives were found to be effective and granular activated carbon was chosen. temporary basis. The hydraulic fence and carbon adsorption units were put into operation in April 1985.

After the migration of contaminated groundwaters was halted, analysis of more economical water treatment alternatives began. Air-stripping studies, such as those carried out at Wurtsmith Air Force Base, Michigan, showed air-stripping to be a cost-effective alternative to granular activated carbon adsorption. It was decided to set up an air-stripping system on the Coast Guard Base.

Commander John Sammons of the USCG and Dr. John Armstrong, of the Traverse Group, Inc., discovered a newly developed process for increasing mass transfer in chemical distillation systems while reviewing air-stripping technologies. The new process was developed by Mr. Colin Ramshaw of the Imperial Chemical Industries of Great Britain. Further research found that the Glitsch Corporation of Dallas, Texas, presently holds the world wide license for the process. The process uses a rotating packed bed to increase the acceleration or "g" force imparted on the liquid. By increasing the g force, a packing material with a higher specific surface area than conventional tower packing may be used. Thus, the effective mass transfer is increased.

#### C. APPROACH

The RAS achieved operational status in October of 1985. Experimental parameters to be analyzed were determined during preliminary operation of the treatment system. The air flow rate and rotor rotational velocity were determined to have the greatest effect on performance.

Two phases of experimentation were conducted on the RAS. The first phase determined operating conditions where removal efficiencies and treatment costs of the RAS were optimized. The second phase of experimentation, using the same operating conditions as the first phase, determined the treatability of a variety of different contaminants at varying concentrations.

#### SECTION II

# ROTARY AIR-STRIPPING SYSTEM

#### A. ROTARY AIR-STRIPPING THEORY

Air-stripping is the process of contacting contaminated water with a clean air stream. In a closed system, hydrocarbons with low solubilities in water diffuse into air, eventually reaching equilibrium, according to Henry's Law. When a steady stream of air is passed by the water, the contaminants continuously diffuse into the air, never reaching equilibrium. In a system employing countercurrent air and water flow, the ever present concentration gradient steadily drives the removal process. The contaminants are effectively stripped from the water.

Before the development of rotary air-stripping, there were two primary means of conventional air-stripping, diffusive aeration, and countercurrent packed-column (CCPC) air-stripping. In diffusive aeration, a basin of contaminated water is sparged with air bubbles. This method of air-stripping produces limited contact between the water and the air, hence limiting stripping of the contaminants. Packed-column air-stripping is performed employing a cylindrical reactor filled with a packing media. Water entering at the top of the tower flows downward by the force of gravity. A blower at the bottom of the tower blows air countercurrently to the flow of water. Greater contact between the air and the water causes higher removal efficiencies for a packed-column than for diffusive aeration (Reference 2).

A greater specific surface area of packing produces greater contact between air and water, thus, increasing the rate of diffusive mass transfer within a smaller volume. The fluid dynamic performance of a packing media is summarized by the Sherwood Flooding Correlation Curve (Figure B-1.) According to the curve, by increasing the g force applied to the water, the specific surface area of the packing can be increased without adversely affecting the fluid dynamic performance. The RAS uses a packing material made of a metal foam with a high specific surface area and a corresponding high porosity. A higher g force is imparted on the water by rotating the packing media, thus improving the mass transfer (Reference 3). See Table 1 for rotor dimensions and design specifications.

# TABLE 1. DIMENSIONS AND DESIGN SPECIFICATIONS OF THE RAS ROTOR

# Rotor Dimensions (ft)

Outside Diameter	2.62 ft
Inside Diameter	0.92 ft
Axial Length	1.18 ft
Voidage of Packing	0.96 cuft/cuft
Specific Surface Area	762 sqft/cuft

# Design Criteria


Liquid Flow Rate	100	gpm
Gas Flow Rate	2000	scfm
Rotational Velocity	875	rpm
Percent Toluene Removal	99.	.5%

#### B. SYSTEM DESCRIPTION

The RAS and incinerator are housed in Building 403 of the Traverse City Air Station, along with two 20,000-pound carbon adsorption units (See Figure 1.) The effluent air from the incinerator leaves the building through a 50-foot stack in the roof. Bypass valving on the influent line allows the water to be divided between the RAS and the carbon tanks, or diverted entirely through the carbon.

The air enters the RAS casing at the outer radius of the rotor and is forced through the packing countercurrent to the direction of water flow (See Figure 2.) The pressure in the RAS casing is held by seals at both ends of the rotor. The effluent air exiting the eye of the rotor is piped to the catalytic incinerator. The air stream is heated to 800 F by a natural gas burner and is then passed across a catalyst. The reaction at the catalyst changes the hydrocarbons in the air stream into carbon dioxide and water. The effluent air from the incinerator passes through a heat exchanger using the waste heat to preheat the influent water to the RAS.

The plumbing layout for the RAS is found in Figure 3. Influent water for the RAS may be taken directly from the pumping well fields or from a 5,000-gallon surge tank. The species and concentration of the contaminants entering the RAS are regulated within the surge tank. The influent water can be preheated with the use of a heat exchanger, or run directly from the well






Figure 1. Coast Guard Water Treatment Building and BAS.





Figure 2. Cross Section of RAS Rotor.



→ DIRECTION OF FLOW

Figure 3. Plumbing Layout of the RAS.

fields. The influent water enters the RAS casing through four distribution rods, evenly spaced within the eye of the rotor. Each distribution rod has a row of drilled holes acting as orifaces for even water distribution. The water exits the distribution rods at a 45-degree angle to the packing, moving in the direction of the packing rotation. This allows the water to enter the rotating packing with little splashback. Water exiting the packing material drains through an 8-inch effluent pipe into a holding basin. The effluent water is pumped from the basin through the carbon polishing units. The influent water sampling port is located approximately 6 feet from the entrance to the rotor. The effluent water sample port is located in a closed line approximately 5 feet from the exit point of the rotor.

# C. INSTRUMENTATION

The RAS is equipped with a 20 hp rotor motor, a 20 hp blower motor and a 15 hp discharge pump. The water flow rate entering the RAS is measured with a K72-5-0 King Instrument Rotometer. Liquid and air pressures are measured using dial-type pressure To prevent the rotor from clogging, an AMF Cuno model 12DC cartridge filter is located on the influent water line. air flow is measured by a Kurtz Hot Wire Anomometer which has an accuracy of  $\pm$  2 percent. The air flow is displayed on an LCD readout in standard cubic feet per minute (scfm). A Meriam "U" type manometer is used to determine the pressure drop across the rotor packing. The rotational velocity of the rotor is controlled by a Lancer JR Type L1 general purpose inverter. The inverter displays the frequency of electrical current feeding the rotor The rotational velocity of the rotor is calculated from motor. Equation (1):

$$RPM = 14.583(F)$$
 (1)

where F = Electrical frequency in cycles per second

The acceleration or g force imparted on the liquid is calculated from Equation (2).

$$q = 0.00154 \text{ (RPM)}$$
 (2)

The incinerator is equipped with dial pressure gauges reading differential pressures across the burner and the catalyst. The startup safety sequence and the running burner temperature are controlled by a Honeywell Model R4140L Flame Safeguard Controller. The controller displays the temperature at the burner and the exit side of the catalyst.

#### SECTION III

#### **EVALUATION**


## A. DETERMINATION OF OPERATING CONDITIONS

During the first phase of evaluation of the RAS, the air flow rates and the rotor rotational velocity were varied. The liquid temperature was held constant at 54 °F. The liquid flow rate was held constant at flow rates between 80 and 92 gpm. The procedure was as follows: the air flow rate was set and the rotational velocity of the rotor was changed incrementally. Liquid influent and effluent samples were taken for each combination of operating conditions. After the range of rotor velocities had been covered, the air flow rate was changed. The same range of rotor velocities was covered at the new air flow rate. This procedure was followed for air flow rates ranging from 140 to 605 scfm.

The criteria for acceptance of a run are: (1; Liquid flow rate change less than 1 gpm; (2) Liquid temperture change less than 1 F; (3) Air flow rate change less than 10 scfm; and,(4) Rotor velocity change of less than 0.14 rpm. If the above conditions were not met, then the run was rejected. These experiments were performed in the first 40 runs using influent water containing benzene and toluene concentrations of approximately 100 ppb and 90 ppb, respectively. The data pertaining to these runs are found in Appendix D.

The removal efficiency of the contaminants increased with increasing air-to-water ratios. Increasing the air-to-water ratio above 40:1 (cfm/cfm) produced less than 1 percent increase in the removal efficiencies. This is shown in Figures 4 and 5. Increasing the rotational velocity of the rotor increased the removal efficiencies of the contaminants at constant air-to-water ratios. Increasing the rotational velocity above 700 rpm produced less than 1 percent change on the removal efficiency. These results are shown in Figures 4 and 5.


The results of the first phase of experimentation showed optimum operating conditions for influent waters in the range of concentrations found at the US Coast Guard, Traversc City, MI to consist of a rotor rotational speed of 450 to 700 RPM and a gas-to-liquid ratio of 30 to 40 (cfm/cfm).



Benzene Remeral Efficiency vs. Gas-to-Liquid Ratios (Water Flow,  $\psi_{\star}$  Range = 80-92 q;m; T = 54°F). Ciqure 4.

**BENZENE BENZENE BENOVED** 





Higher air-to-water ratios were used in the second phase of experimentation to ensure high removal efficiencies at higher influent contaminant concentrations. The second phase of experimentation was conducted on benzene, toluene, trichloroethylene (TCE), tetrachloroethylene a.k.a. perchloroethylene (PCE), and 1,2-dichloroethane (1,2-DCE), varying the concentration of each contaminant.

## B. REMOVAL EFFICIENCIES OF BENZENE AND TOLUENE

The removal efficiencies of benzene and toluene were evaluated during the first phase of experimentation. The quantitative limits of the analytical equipment for benzene and toluene are 1.0 and 2.0 ug/L, respectively. To facilitate calculations, any trace value found was given the value of the quantitative limit. The "less than" symbol (<) was placed in front of the effluent concentration in the data to indicate that the actual concentration was less than this value. "Greater than" symbols (>) were used to flag the corresponding removal efficiencies.

The RAS proved to be very effective in air-stripping benzene and toluene from contaminated water. The removal efficiencies were in excess of 98 percent under most combinations of operating conditions. Removal efficiencies of 99.9 percent were found to be obtainable for influent concentrations representative of the groundwaters treated at the Coast Guard Base.

A "breakpoint" in the removal efficiency with increasing gas-to-liquid ratios holding liquid flow rate constant between 80 and 92 gpm is seen on the graphs showing benzene and toluene removal efficiencies vs. gas/liquid ratios (Figures 4 and 5.) A breakpoint occurs in the graph near gas-to-liquid ratios of 20:1 (cfm/cfm). Before the breakpoint, small increases in the gas-to-liquid ratio produce large increases in the removal efficiency. After the breakpoint, increases in gas/liquid ratios cause very little increase in the removal efficiency. The break point is about the same for benzene and toluene. Overall, the removal efficiency of toluene is slightly better than benzene. This seems resonable as toluene has a higher Henry's Constant in atm-cubic meters/mole. (See Table 2)

TABLE 2. ESTIMATED HENRY'S CONSTANTS FOR VARIOUS ORGANICS AT 20°C (REFERENCE 2)

Compound	3 <u>Hc (atm*m/mole)</u>
Vinyl chloride Dichlorofluormethane 1,1-dichloroethylene 1,2-dichloroethylene Trichlorofluoromethane	6.4 2.1 1.7x10-1 1.7x10-1 1.7x10-1
Methyl bromide Carbon tetrachloride Tetrachloroethylene Chloroethane Trichloroethylene	9.3x10-2 2.5x10-2 2.3x10-2 1.5x10-2 1.0x10-2
Methyl chloride 1,2-trans-dichloroethylene Ethylbenzene Toluene Benzene	8.0x10-3 5.7x10-3 5.7x10-3 5.7x10-3 4.6x10-3
Chlorobenzene 1,1,1-trichloroethane Chloroform 1,3-dichlorobenzene Methylene chloride	4.0x10-3 3.6x10-3 3.4x10-3 2.7x10-3 2.5x10-3
1,4-dichlorobenzene 1,2-dichloropropane 1,2-dichloropropylene 1,2-dichlorobenzene 1,2-dichloroethane	2.1x10-3 2.0x10-3 2.0x10-3 1.7x10-3 1.1x10-3
Hexachloroethane 1,1,2-trichloroethane Bromoform 1,1,2,2-tetrachloroethane Naphthalene Phenol	1.1x10-3 7.8x10-4 6.3x10-4 4.2x10-4 3.6x10-4 2.7x10-7

# C. REMOVAL EFFICIENCIES OF CHLORINATED COMPOUNDS


The chlorinated compounds were chosen for evaluation, based on their Henry's Constants. The chlorinated compounds picked for evaluation were TCE, PCE, and 1,2-DCE. These compounds were representative of a wide range of Henry's Constants. (See Table 1) The data from these experiments can be found in Appendix D.

The relationships between removal efficiencies of TCE and PCE and gas-to-liquid ratio at different rotor speeds are shown in Figures 6 and 7. The removal efficiencies of TCE and PCE were in excess of 99 percent for all conditions evaluated. The graphs show no sharp breakpoint for TCE or PCE. Figure 6 does show a slight breakpoint occuring at a gas-to-liquid ratio of approximatly 20:1. Since no breakpoint was seen in the graph for PCE, the breakpoint must occur with gas-to-liquid ratios below 40:1 (vol/vol). These two compounds were stripped at higher efficiencies than benzene and toluene.

Figure 8 shows the effect on removal efficiency of 1,2-DCE from changes in gas-to-liquid ratios at different rotor speeds. The liquid flow rate was held constant between 74 and 77 gpm. The breakpoint for 1,2-DCE occurs between gas to liquid ratios of The greatest romoval efficiency and 80:1 (vol/vol). achieved was about 95 percent removal. 1,2-DCE runs with 99 percent removals are seen in the data found in Appendix D. The data points from these runs were not included in the graph as the effluent water samples were taken before the RAS had reached The removal efficiency of 1,2-DCE was significantly equilibrium. The relative removal efficiencies of lower than TCE and PCE. the chlorinated compounds correlate with those that would be anticipated by comparing the Henry's Constants.

# D. CONCENTRATION EFFECTS

The effect of increasing influent concentration on removal efficiencies for benzene, toluene, and 1,2-DCE is shown in Figures 9, 10, and 11. No conclusive effects were found on removal efficiency due to changes in the influent concentration, as would be expected since the experiments were conducted inside the Henry's region. These graphs show a slight difference in removal efficiencies for increased concentrations. The differences, however, show no trends and are most likely attributed to errors in experimentation and analysis.




TCE Removal Efficiency vs. Gas-to-Liquid Ratios (Water Flow, Q, Range = 77-80 gpm; T =  $54^{\circ}$ F).

Figure 6.


1


PERCENT TCE REMOVED



PCI Ecroval Fifticioney vs. Gas-to-Liquid Patios (Water Flow, ), Rande =  $68-70~\rm{qpm}$ ;  $T=54^{\circ}F$ ). P. guro 7.


PERCENT PCE REMOVED






Etfect of Concentration on Removal Efficiency for Benzene (Water Flow, 0, Range =  $80-86~\rm gpm$ ; T =  $54^{\circ}\rm F$ ). Figure 9.

PERCENT BENZENE REMOVED



PERCENT TOLUENE REMOVED

Effect of Concentration on Removal Efficiency for Toluene (Water Flow, Q, Range =  $79-84~\rm dym; \ T=54^{\circ}F$ ). Figure 10.



Effect of Concentration on Removal Efficiency for 1,2-DCE (Nater Flow, Q, kange = 74-77 gpm;  $T=54^{\circ}{\rm F}$ ).


**DEBOENT I'S-DOE BEMONED** 

21

# E. TEMFERATURE EFFECTS

A very noticable difference in removal efficiency is present due to fluctuations in the liquid temperature. Colder water is stripped less effectively than warmer water. Clean tap water, at 40 °F, was used to mix batches of contaminated water in a surge tank in Runs 40 through 54. The average groundwater temperature in Traverse City is 54°F. Figure 12, comparing removal efficiency of benzene using tap water and groundwater, shows a significant reduction in removal efficiency at the lower temperature.

More studies on temperature effect were conducted by preheating the influent water to the RAS. The influent water from the pumping wells was preheated using the heat exchanger on the incinerator. Only a 6°F to 8°F temperature increase could be acheived at the water flow rates employed. Increasing the liquid temperatures between 54 °F and 62 °F showed no significant effect in removal efficiencies. The remainder of the experiments were conducted using unheated groundwater.



Effect of Temperature on Removal Efficiency for Benzene (Water Flow, Q, Range = 80-92 gpm). Figure 12.

PERCENT BENZENE REMOVED

## F. FLOODING CORRELATIONS

The use of a rotating packing media for air-stripping is a new technology and relationships describing flooding characteristics have not been developed. Sudden, sharp increases in the differential air pressure across the packing media is the first indication of an approaching flood condition. Figure 13 shows the pressure differential across the rotor at varying rotor velocities for several different gas-to-liquid ratios at a liquid flow rate of  $86 \pm 6$  gpm. There is a minimum pressure differential for each gas-to-liquid ratio. In an effort to provide some information concerning conditions during operation, the Sherwood Flooding Correlation (SFC) for dumped rings (Figure B-1) is used to determine percent flood at the minumum pressure differential across the rotor. These values are found in Table 3.


TABLE 3. CALCULATED PERCENT FLOOD FOR GIVEN
GAS-TO-LIQUID RATIOS AT MINIMUN PRESSURE
DIFFERENTIAL CONDITIONS

AIR/WATER (cfm/cfm)	CALCULATED PERCENT FLOOD
G/L = 57 $G/L = 34$	<b>41</b> % 35%
G/L = 20	34%

Using a relationship developed for packed columns, to describe the flooding characteristics of a rotating media, may not be totally accurate, but it does allow relative comparisons of flooding conditions between different experimental runs. Sample calculations for percent flood can be found in Appendix B.

## G. MASS TRANSFER COEFFICIENTS

To determine the mass transfer coeficient (KLa) for the RAS, a formula was used which determines the slope of a line intersecting the origin and a single point of evaluation. According to Gossett (Reference 4) determining KLa in this manner can produce minor errors. Since the RAS uses a rotating packing, sampling along the length of the packing is not possible. Gossett (Reference 4) also states that using the influent and effluent samples for determining KLa can lead to errors. The influent and effluent samples were used for determing KLa's since they are the only samples which can be taken with the RAS.



Pressure Drog Across the Rotor for Varying Rotor rism (Water Flow, 0, Range =  $8.0-92~\rm gpm;\ T=54^\circ F)$ . Figure 13.

Sample calculations for KLa determination are found in Appendix B.

Figure 14 shows benzene KLa's vs. rotor speed at different gas-to-liquid ratios while the liquid temperature was held constant at 54 °F. Increasing the rotor speed increases the KLa until 730 rpm then the KLa decreases slightly at 875 rpm. Figure 15 is a graph comparing benzene Kla's vs. gas-to-liquid ratio over the range of water and air flow rates studied, holding the rotor speed, and the temperature constant. KLa appears to vary only slightly with air flow rate, as might be expected from previous work on CCPC.


The mass transfer characteristics of the RAS are improved ten to fifteenfold compared with mass transfer characteristics of a CCPC. The reasons for the improved mass transfer are as follows:

- 1. There is a greater area of contact between the air and the water for a given volume of packing in a RAS. The greater area of contact allows for a greater amount of diffusion from the liquid to the gas.
- 2. The increased g force imparted on the liquid creates thinner liquid films coating the packing media. This increases the area of contact between the air and water "a" which in turn enhances the overall mass transfer KLa (Reference 5).


Kla's for benzene experiments can be found in Appendix D.

# H. COMPARISON OF ROTARY AND PACKED COLUMN AIR-STRIPPING

The RAS is a prototype air-stripper and any direct comparison with an "optimum" CCPC would be biased. The best way to relate a CCPC with the RAS is to use the most efficient operating conditions for the RAS in a design equation for the CCPC. The conditions picked for the RAS are 100 gpm, 600 scfm,



Benzene KLa's vs. Rotor Speed for Different Gas-to-Liquid Ratios ( $T = 54^{\circ}F$ ).



GAS/LIQUID (FT3/FT3)

Benzene KLa's vs. Gas-to-Liquid Ratios (Water Flow,  $\Omega$ , Range = 72-92 gpm; Rotor Speed = 585 rpm; T = 54°F). Figure 15.

BENZENE

KΓ<sup>α</sup> (I\MIN)

585 rpm, and 99 percent removal. An "optimum" liquid loading rate for the CCPC is 30 gpm/sqft. The design equation from Gossett (Reference 4) is:

(Z) (A) = 
$$\frac{L}{KLa} \begin{bmatrix} \frac{Ci}{Ce} - \frac{(R)(T)}{(Aw)(Hc)} & \frac{Ci}{Ce} - \frac{1}{(Aw)(Hc)} \\ & & & & \\ & & & & \\ & & & & \\ \end{bmatrix}$$

Where: Z = Packing height

A = Cross sectional area = 0.307 sqM

(using 100 gpm and loading of 30 gpm/sqft) Ci = Influent concentration = 3696.70 ug/L Ce = Effluent concentration = 38.42 ug/L

R = Gas constant = 8.206x10 atm-cuM/mole- K

T = Temperature in K = 295 KAw = Gas/liquid (vol/vol) = 44.8

Hc = Henry's Constant = 0.0046 atm-cuM/mole
L = Liquid flow rate = 0.379 cuM/min

Evaluating the CCPC design equation with the conditions from the RAS gives a CCPC with a diameter of 2.1 feet and a height of 17.5 feet. This shows that for the same performance the CCPC packing bed depth needs to be 20 times greater, but the cross-sectional area of the packing is half as great as for the RAS.

For a CCPC air-stripper to get the same removal efficiency as the RAS a much larger volume of packing is needed.

## I. OPERATION AND MAINTENANCE


Between December 1985 and January 1986 the RAS was operated 12 days, for at least 5 hours each day. A problem was encountered maintaining the liquid flow rates. This problem also affected the experiments. Clogging of the in-line solids filter was the reason for the loss in liquid flow rate. The clogging is due to a biological iron precipitate present in the influent water from the pumping wells. The precipitate clogs the filters, increasing the influent pressure and decreasing the liquid flow The filter cartridges are theoretically disposable, but clogging occurred too frequently to economically warrant disposing of the filters every time they clogged. The filters were scrubbed with water whenever they clogged up significantly. The filters had to be immersed in muriatic acid to dissolve the iron in the inner parts of the filter after only a few cleanings by scrubbing. There was no clogging of the rotor at any time during the experimentation.

Oil levels for the motor shafts were checked on a monthly basis. There was no need to add any oil at any time during the experimentation. Ten minutes per month were required to grease the mechanical coupler between the rotor and the rotor motor.

Water carryover into the effluent airstream was a significant problem encountered in operation of the RAS. This The water problem was worsened by increased air flow rates. blown by would flow into the catalytic incinerator through the exhaust air ducting. The manufacturers of the incinerator (Torvex) said water blowing into the incinerator would cause the catalyst to spall, effectivly decreasing its ability to catalyze the incineration reaction. The problem was due to two reasons. Water exiting the liquid distribution rods would hit the packing and splash back into the effluent air stream. Also, water exiting the drilled orifices in the distribution rods would drip into the effluent air stream to be carried away. In an attempt to remedy both situations, larger holes were drilled in the rods so the velocity of water leaving the orifices was reduced. holes had little or no effect on the carryover.

## J. TREATMENT COSTS FOR ROTARY AIR-STRIPPING

The point of maximum removal efficiency at the lowest rate of power consumption was chosen for the electrical consumption cost calculation. The operational conditions of the RAS producing 99.9 percent removal of benzene from a 90 gpm liquid influent from the Coast Guard's pumping wells at the lowest rate of power consumption are: 600 scfm air flow and 437 rpm rotor rotational velocity (See Figure 16.) The electrical consumption for the RAS (rotor motor, discharge pump, and blower motor) operating at these conditions is about 16 Kw. The shape of the curve relating power consumption to variations in gas-to-liquid ratios is attributed to the energy required to run the rotor motor. The rotor rotational velocity must be increased to achieve greater contact between the air and water at lower gas-to-liquid ratios. (Refer to section on Mass Transfer) There is a greater increase in electrical consumption for an increase in the rotor velocity than for an increase in the air flow.



Power Consumption of RAS vs. Gas-th-Liquid Ratios (Water Flow, Range =  $80-92~\rm{qpm}$ ;  $T=54~\rm{E}$ ).

POWER CONSUMPTION (KW)

31

Assuming the average cost of electricity in Traverse City, MI. is \$0.07/kw-hour. The cost of running the RAS per 1000 gallons of water treated is:

(16 kw) x (\$0.07/kw-hour) x (hour/60 min) x (min/90 gal) x 1000

= \$0.207 / 1000 gallons water treated

At the same cost for electrical power the packed column at Wurtsmith Air Force Base costs \$0.168 per 1000 gallons of water treated (Reference 2).

#### SECTION IV

#### SAMPLING PROCEDURES AND SAMPLE ANALYSIS

## A. SAMPLING PROCEDURE

Samples were taken after the RAS reached equilibrium experimental operating configuration. The liquid residence time is calculated to be less than 1 minute. Five minutes was assumed to be sufficient time for the system to reach equilibrium. During continous operation samples were collected after an hour The results did not deviate from the samples of operation. The sampling lines were allowed to collected after 5 minutes. purge for at least 30 seconds to assure a representative sample After purging, the water flow rate was reduced to of the water. less than 200 milliliters per minute. Samples were collected in immediately capped with 120-milliliter crimp-top vials and Teflor rubber septa. To avoid volatilization of the contaminants, the sample bottles were filled by allowing the water to gently run down the side of the bottle. The bottle was slightly overfilled, leaving a convex meniscus on the top. No air bubbles were left in the bottle. Influent samples were taken first, then the effluent sample. The samples were refrigerated until the time of analysis. The analysis was performed on the same day the samples were taken to avoid volatilization of contaminants through the septa seals.

## B. SAMPLE ANALYSIS

Benzene and toluene samples were analyzed using the EPA method 5020, Headspace Analysis for Volatile Organic Hydrocarbons. The samples were analyzed using a Hewlett-Packard model 5710A gas chromatograph, with a flame-ionization detector, and a Hewlett-Packard model 3392A integrator. Twenty milliliters of the water sample were syringed out of the sample bottle, simultaneously being replaced by the same volume of ambient laboratory air. The samples were placed in a water shaker bath which was held at 90°F. At least 15 minutes were allowed for the water sample to reach equilibrium with the air headspace within the sample bottle. Between 1 and one-tenth of a milliliter of the air in the headspace was extracted by syringe and injected into the Gas Chromatograph. The volume of air analyzed depended on the predicted contaminant concentration and corresponding programmed method of analysis. The quantitation limits for benzene and toluene are 1 and 2  $\mu g/L$ , respectively.

The analysis of the chlorinated hydrocarbons, TCE, PCE, and 1,2-DCE, was performed, using one of two methods, depending on the predicted contaminant concentration. If the concentration was predicted to be greater than 50  $\mu$ g/L, then the headspace technique was used as described above. If the concentration was assumed to be less than 50 yg/L, then the analysis was performed as follows: Five mLs of sample were pipeted into a sparging The vials were sparged with nitrogen gas for 15 minutes. The effluent gas of the sparging process was collected on sorbent The contaminants were desorbed from the tubes using a Envirochem model 810 desorber. The sample was tubes. Unacon Envirochem automatically transferred from the desorber to a Tracor model 540 Gas Chromatograph with a Hall Detector. A Hewlett Packard model integrator, monitoring the output of the Hall detector, calculated the concentration of contaminant in the water sample. The limit of quantitation of the Tracor gas chromatograph for the chlorinated contaminants is 0.1 mg/L. Information regarding standards preparation and systems calibration is found in Appendix A.

## SECTION V

## CONCLUSIONS

Rotary air-stripping is an effective means of removing volatile organic contaminants from groundwater. With the exception of PCE, the removal efficiencies of the contaminants studied were in agreement with what would be predicted from the Henry's Constants. Contaminants with Henry's Constants above

4.0x10 atm-M/mole were air-stripped with removal efficiencies greater than 98 percent at air-to-water ratios of 35:1 or more. Temperatures much lower than 54 F noticably affected the removal efficiency of benzene. By using a RAS, mass transfer coefficients can be greatly increased, hence, a much smaller treatment system can be used than a packed-column.

The cost of operation of the RAS is higher than the cost of operating a CCPC air-stripper. The higher cost can be partially attributed to the fact that the RAS installed in Traverse City is a prototype model. Economic considerations were not the main emphasis of the design.

#### SECTION VI

#### RECOMMENDATIONS

Rotary air-stripping achieves high removal efficiency in a small space. Using a rotating packing allows for greater acceleration to be imposed on the water, thus, allowing for greater air-to-water ratios than a CCPC air-stripper, without flooding. Future reasearchers should:

- 1. Develop improved relationships for mass transfer determinations at various distances from the axial center of the rotor.
- 2. Conduct laboratory experiments on different types of rotor packing materials to better determine the relationships between cost of operation and removal efficiency.
- 3. Conduct more experiments on low Henry's Constant contaminants to test the RAS's ability to strip these problem pollutants.
- 4. Analyze better mechanical designs for the solids filtration system and the orientation of the rotor. The rotor on the RAS evaluated is cantalevered which necessitates a heavy-duty bearing. The heavy-duty bearing increases the cost and weight of the machine.
- 5. Use the RAS to evaluate different treatment options for contaminated effluent air streams such as carbon adsorption and biodegradation.

### REFERENCES

- 1. Twenter, F.R., Cummings, T.R., and Grannemann, N.G., Groundwater Contamination in East Bay Township, Michigan, Water Resources Investigations Report 85-4064, US Geological Survey, Lansing, MI, 1985.
- 2. Gross, R.L., <u>Development of Packed-Tower Air Strippers</u> for <u>Trichloroethylene Removal at Wurtsmith Air Force Base</u>, <u>Michigan</u>, <u>ESL-TR-85-28</u>, <u>Engineering and Services Laboratory</u>, Air Force Engineering and Services Center, Tyndall AFB, Florida, 1985.
- 3. Ramshaw, C., "Higee Distillation An Example of Process Intensification," <u>The Chemical Engineer</u>, p. 13-14, February, 1983.
- 4. Gossett, J.M., Cameron, C.E., Eckstrom, B.P., Goodman, C., Lincoff, A.H., <u>Mass Transfer Coefficients and Henry's Constants for Packed-Tower Air-Stripping of Volatile Organics: Measurements and Correlation</u>, ESL-TR-85-18, Engineering and Services Laboratory, Air Force Engineering and Services Center, Tyndall AFB, Florida, 1985.
- 5. McCarty, P.L., "Removal of Organic Substances from Water by Air-stripping," <u>Control of Organic Substances in Water and Waste Water</u>, EPA 600/8-83-001, April, 1983.
- 6. Perry, R.H., and Chilton, C.H., editors, <u>Chemical Engineers' Handbook</u>, 5th ed., p. 18-19, McGraw-Hill Book Company, New York, 1973.

#### APPENDIX A

#### LABORATORY STANDARDS PREPARATION

Gravimetric stock standards were prepared by injecting pure contaminants into methanol, and weighing them to the nearest 1/10th of a milligram. The analytical balance utilized produces significant figures to the nearest milligram, so that additions of more than 100 milligrams produced gravimetric standards accurate to three significant figures. Working solutions were prepared by making dilutions of the stock solution in methanol. All working solutions were capped and refrigerated for storage.

Daily standards for headspace were prepared by injecting an appropriate quantity of working solution into a sample vial. Several concentration levels were stored on the Hewlett Packard 3392A integrator using the external standard method of calibration. Daily standards for the purge and trap system were prepared by injecting an appropriate amount of working solution into septum-top 40-mL vials containing a known amount of organic free distilled water (determined by weight to three significant figures). The standards were treated as water samples for preparation of sorbent tubes. The sorbent tubes were run on the Tracor 540 Gas Chromatograph. The results for several concentration levels were stored in calibration tables on the 3390A integrator using the external standard method of calibration.

#### APPENDIX B

#### SAMPLE CALCULATIONS

## A. FERCENT FLOOD CALCULATIONS

Sample calculations for determining Percent Flood using the Sherwood Flooding Correlation (SFC) are as follows (Reference 6):

1. Determine the value of the abscissa of the SFC from the following equation:

Find this value on the abscissa of the SFC and extend up until the curve for dumped rings is intercepted. Extend horizontally until hitting the ordinate. This gives a value of 0.04. Set this value equal to the equation on the ordinate and solve for Ut as follows:




Figure B-1. Sherwood Flooding Correlation Curve. (Reference 6)

g = acceleration in (M/sec )
e = percent voidage = 0.96 (unitless)

pL = density of liquid = 1000 (mg/cm)

Use: g = 525 (M/sec)

 $\begin{array}{ccc}
2 & 0.2 \\
\underline{\text{(Ut) (2500) (1.2) (1)}} \\
3 & = 0.04 \\
(525) (0.96) (1000)
\end{array}$ 

Ut = 2.49 M/sec

Calculated Ut at the conditions in question equals 1.02
Calculated Percent Flood is:

1 + Ut (from graph calculated) - Ut (at conditions) X 100%
(-1) Ut (calculated from graph)

Percent Flood = 41%

## B. PERCENT REMOVAL CALCULATIONS

Calculation of percent contaminant removed is as follows:

Where: Ci = influent concentration

Ce = effluent concentration

Use: Benzene influent = 3301.8 ug/L

Benzene effluent = 38.92 ug/L

Percent removal =  $(3301.8) - (38.92) \times 100\%$ 

= 98.82%

# C. KLa CALCULATIONS

Calculations of KLa values are as follows:

$$KLa = (Q)(NTU)$$
(A)(Co)(d)

Where: Q = liquid flow rate in lb-moles/hour = (27.8 lb-moles/hour-gpm)(gpm)

A = inner cross-sectional area of packing

= 5.84 ft

Co = molar density of water

= 3.47 lb-moles/ft

d = packing depth = 0.853 ft

NTU =  $\frac{R}{R-1}$   $\left[\begin{array}{ccc} \ln & (\text{Ci/Ce})(R-1) + 1 \\ R & \end{array}\right]$  = number of transfer units

First it is necessary to calculate NTU as rollows:

R = (Hc)(G)/(Q)

Hc = Henry's Constant of contaminant in atmospheres

G = gas flow rate in lb-moles/hour = (0.156)(cfm)

Q = liquid flow rate in lb-moles/hour = (27.8)(gpm)

Use values from a benzene experiment:

cfm = 590 Therefore; G = (0.156)(590) = 92.0

gpm = 80 Therefore; Q = (27.8)(80) = 2224.0

Hc = 278 atmospheres

Ci = 8077.6 ug/L

Ce = 128.37 ug/L

Evaluating for R:

R = (278)(92.0)/(2224) = 11.5

Evaluating for NTU:

NTU = 
$$(11.5)$$
  $1n$   $(8077.6)/(128.37)(11.5 - 1) + 1 = 4.44  $11.5$$ 

Evaluating for KLa:

## APPENDIX C

## CONVERSION FACTORS

- $1 \text{ ft} = 12 \text{ in} \\ = 0.3048 \text{ M}$
- 1 yard = 3 ft
- 1 ft/s = 0.3048 M/s
- 1 cubic ft = 0.028317 cubic M
- 1 US gal = 231 cubic in = 0.0037854 cubic M
- 1 L = 0.001 cubic M = 0.035315 cubic ft
- 1 gal/min = 0.002228 cubic ft/s = 0.06309 L/s
- C = 5/9(F 32)
- 1 lbf = 4.448222 N
- 1 hp =  $550(ft \times lbf)/s$ = 745.7 W
- 1 slug = 32.174 lb = 14.594 kg

# APPENDIX D

# DATA FILES

The following Appendix contains all raw and calculated data gathered and analyzed in the Rotary Air Stripper Evaluation.

RUN	LIQUID TEMP.	GAS FLOW (SCFM)	LIQUID FLOW (GPM)	GAS/LIQUID (CF/CF)
1	54	780	92	63.42
2	54	780	92	63.42
3	54	650	92	52.85
4	54	600	92	48.78
5	54	145	90	12.05
6	54	140	90	11.64
7	54 54	140	90 90	11.64
8 9	54	14Ø 245	90	11.64 19.92
1.0	54	245	92	19.92
11	54	245	92	19.92
12	54	245	92	19.92
13	54	400	92	32.52
14	54	140	90	11.64
15	54	140	90	11.64
16	54	140	90	11.64
17	54	140	90	11.64
18	54	405	90	33.66
19	54	405	90	33.66
20	54 54	405	90	33.66
21 22	54	4Ø5 4Ø5	9Ø 9Ø	33.66 33.66
23	54	6Ø5	8Ø	56.57
24	54	605	80	56.57
25	54	605	8Ø	56.57
26	54	6Ø5	80	56.57
27	54	605	80	56.57
28	54	6Ø5	80	56.57
29	54	605	80	56.57
30	54	605	8Ø	56.57
31	54	6Ø5	8Ø	56.57
32	54	6Ø5	80	56.57
33 34	54 54	23 13Ø	82 72	2.10
35	54	170	72	13.51 17.66
36	54	170	72	17.66
37	54	210	72	21.82
38	54	200	72	20.78
39	54	240	72	24.93
40	40	735	92	59.76
41	40	415	92	33.74
42	40	415	90	34.49
43	40	415	90	34.49
44	40	155	90	12.88
45	44	735	90	61.09
46	42	450	86	39.14
47	40	45Ø	86	39.14

RUN	LIQUID TEMP. °F	GAS FLOW (SCFM)	LIQUID FLOW (GPM)	GAS/LIQUID (CF/CF)
48	40	450	84	40.07
49	40	200	84	17.81
5Ø	4Ø	73Ø	88	62.05
51	40	590	88	5Ø.15
52	40	59Ø	87	50.73
53	40	590	86	51.32
54	40	150	85	13.20
56	52	73Ø	86	63.49
57 58	52 52	59Ø	85	51.92
59	52	59Ø 59Ø	84 84	52.54
6Ø	52	150	82	52.54 13.68
61	52	8ØØ	82	72.98
62	54	800	84	71.24
63	54	730	83	65.79
64	54	590	82	53.82
65	54	590	8Ø	55.17
66	54	59Ø	80	55.17
67	54	1200	78	115.08
68	54	800	88	68.00
69	54	6ØØ	88	51.00
7Ø	54	73Ø	88	62.05
71	54	59Ø	88	50.15
72	54	59Ø	88	50.15
73	54	59Ø	88	50.15
74	54	800	85	70.40
75 36	54	730	84	65.00
76	54	6ØØ	84	53.43
77 78	54 54	59Ø 59Ø	82 82	53.82 53.82
79	54	59Ø	82	53.82
8ø	54	5ØØ	8Ø	46.75
81	54	1600	82	145.95
82	54	730	82	66.59
83	54	600	81	55.41
84	54	59Ø	81	54.48
85	54	590	80	55.17
86	54	59Ø	8Ø	55.17
87	5 <b>4</b>	400	8Ø	37.40
88	54	1600	84	142.48
89	54	730	87	62.76
9Ø	54	600	83	54.07
91	54	59Ø	82	53.82
92	54	59Ø	82	53.82
93 94	54 54	59Ø	80	55.17
94 95	54 54	400 160	8Ø 79	37.40
23	J#	TOD	17	15.15

RUN	LIQUID TEMP.	GAS FLOW (SCFM)	LIQUID FLOW (GPM)	GAS/LIQUIL (CF/CF)
96	54	600	79	56.81
97	54	730	79	69.12
98	54	59Ø	79	55.86
99	54	590	79	55.86
100	54	590	79	55.86
101	54	400	79	37.87
102	54	1600	8Ø	149.60
103	54	600	8Ø	56.10
104	54	730	8Ø	68.26
105	54	59Ø	80	55.17
106	54 54	59Ø	8Ø	55.17
107 108	54 54	59Ø	79 70	55.86
100	54	400 1600	79 70	37.87
110	54	600	78 78	153.44 57.54
111	54	73Ø	78 78	7Ø.Ø1
112	54	590	78	56.58
113	54	590	78	56.58
114	54	59Ø	77	57.31
115	54	400	77	38.86
116	54	1600	78	153.44
117	54	600	77	58.29
118	54	730	77	70.91
119	54	59Ø	76	58.07
12Ø 121	54	59Ø	76	58.07
121	54 54	59Ø	75 75	58.84
123	54	400 1600	75 77	39.89
124	54	600	76	155.43 59.05
125	54	73Ø	76 76	71.85
126	54	590	75	58.84
127	54	590	75	58.84
128	54	590	75	58.84
129	54	400	74	40.43
130	54	1600	77	155.43
131	54	600	77	58.29
132	54	730	76	71.85
133	54	590	76	58.07
134	54	59Ø	75	58.84
135	54	590	74	59.64
136 137	54 54	400	74	40.43
138	54 54	16ØØ 699	76	157.47
139	54 54	73Ø	75 75	69.71
140	54	73Ø 59Ø	75 75	72.81 58.84
141	54	590	74	59.64
142	54	59Ø	73	60.45
143	54	400	72	41.56

RUN	LIQUID TEMP. F	GAS FLOW (SCFM)	LIQUID FLOW (GPM)	GAS/LIQUII) (CF/CF)
144	54	1600	70	170.97
145	54	600	70	64.11
146	54	730	70	78.01
147	54	590	70	63.05
148	54	590	7Ø	63.05
149	54	590	7Ø	63.05
150	54	400	69	43.36
151	54	1600	70	170.97
152	54	600	70	64.11
153	54	73Ø	7Ø	78.01
154 155	54	59Ø	70	63.05
156	54 54	59Ø	70	63.05
157	54	59Ø 4ØØ	69 69	63.96
158	54	1600	69 7ø	43.36 170.97
159	54	600	7Ø	64.11
160	54	730	70	78.01
161	54	590	69	63.96
162	54	590	69	63.96
163	54	590	68	64.90
164	54	400	68	44.00
165	54	1600	70	17Ø.97
166	54	600	70	64.11
167	54	730	7Ø	78.01
168	54	590	69	63.96
169	54	590	69	63.96
170	54	590	69	63.96
171 172	54 54	400	68	44.00
173	54	1200 800	119	75.43
174	54	600	118 118	50.71
175	54	400	117	38.Ø3 25.57
176	54	1000	118	63.39
177	54	800	117	51.15
178	54	600	117	38.36
179	54	400	116	25.79
180	54	1000	115	65.04
181	54	800	114	52.49
182	54	600	114	<b>39.</b> 37
183	54	400	114	26.25
184	54	1700	5Ø	254.32
185	54	1000	5Ø	149.60
186	54	1000	100	74.80
187 188	54 54	1700	100	127.16
189	54 54	600 400	5Ø 5Ø	89.76
190	54	6ØØ	100	59.84 44.88
	٠.	~~~	100	44.00

RUN	LIQUID TEMP. F	GAS FLOW (SCFM)	LIQUID FLOW (GPM)	GAS/LIQUID (CF/CF)
191	54	400	100	29.92
192	54	1700	110	115.60
193	54	1700	110	115.60
194	54	850	110	57 <b>.</b> 8Ø
195	54	1700	5Ø	254.32
196	54	85Ø	5Ø	127.16
197	54	1200	11Ø	81.60
198	54	800	110	54.40
199	54	600	110	40.80
200	54	400	110	27.20
201	54	1200	110	81.60
202	54	8ØØ	110	54.40
203	54	600	110	40.80
204	54	1200	100	89.76
205	54	800	100	59.84
206	54	600	100	44.88
207	54	1200	100	89.76
208	54	8 <b>0</b> 0	100	59.84
2 <b>Ø9</b>	54	600	100	44.88

RUN	INVERTOR FREQUENCY	ROTOR VELOCITY (RPM)	ACCELERATION AT ROTOR TYE (M/ SEC )
123456789011213451678901222345678901121345167890122345678901333333333333333333333333333333333333	54 40 325 40 325 40 325 50 40 325 50 40 325 40 325 40 40 40 40 40 40 325	787.48 583.32 437.49 364.58 729.15 583.32 437.49 364.58 729.15 583.32 437.49 364.58 729.15 583.32 437.49 364.58 874.98 729.15 583.32 437.49 364.58 874.98 729.15 583.32 437.49 364.58 874.98 729.15 583.32 437.49 364.58 874.98 729.15 583.32 437.49 364.58 874.98 729.15 583.32 437.49	955.00 524.00 294.75 204.69 818.76 524.00 294.75 204.69 818.76 524.00 294.75 204.69 1179.01 818.76 524.00 294.75 204.69 1179.01 818.76 524.00 294.75 204.69 1179.01 818.76 524.00 294.75 204.69 1179.01 818.76 524.00 294.75 204.69 1179.01 818.76 524.00 294.75 204.69 179.01 818.76 524.00 294.75
44 45 46	25 40 40	364.58 364.58 583.32 583.32	204.69 204.69 524.00 524.00

RUN	INVERTOR FREQUENCY	ROTOR VELOCITY (RPM)	ACCELERATION AT ROTOR EYE (M/ SEC )
4789 4789 4789 4789 4789 4789 4789 4789 4789 4777	30 25 25 40 35 30 25 40 35 30 25 40 35 50 40 35 40 35 40 35 40 35 40 35 40 35 40 35 40 35 40 35 40 35 40 40 35 40 40 35 40 40 35 40 40 50 50 40 50 50 50 50 50 50 50 50 50 50 50 50 50	(RPM)  437.49 364.58 584.78 510.41 437.49 364.58 583.32 510.41 437.49 364.58 729.15 583.32 510.41 437.49 730.61 729.15 802.07 583.32 510.41 437.49 730.61 729.15 802.07 583.32 510.41 437.49 730.61 729.15 802.07 583.32 510.41 437.49 730.41 437.49 730.41 437.49 730.41 437.49 730.41	294.75 204.69 204.69 526.63 526.63 401.19 294.75 204.69 524.00
89 90 91 92 93	40 55 40 35 30	802.07 583.32 802.07 583.32 510.41 437.49	990.69 524.00 990.69 524.00 401.19 294.75

RUN	INVERTOR FREQUENCY	ROTOR VELOCITY (RPM)	ACCELERATION AT ROTOR EYE 2 (M/ SEC )
0.4	2.0	405 40	
94	3Ø	437.49	294.75
95	55	802.07	990.69
96	55	802.07	990.69
97	40	583.32	524.00
98	40	583.32	524.0C
99	35	510.41	401.19
100	30	437.49	<b>294.</b> 75
101	30	437.49	294.75
102	55	802.07	990.69
103	55	802.07	990.69
104	40	583.32	524.00
1Ø5	40	583.32	524.00
106	35	510.41	401.19
107	3Ø	437.49	294.75
108	3Ø	437.49	294.75
109	55	802.07	990.69
11Ø	<b>5</b> 5	802.07	<b>990.</b> 69
111	40	583.32	524.00
112	40	583.32	524.00
113	35	510.41	401.19
114	3Ø	437.49	<b>294.</b> 75
115	3Ø	437.49	294.75
116	55	802.07	990.69
117	55	802.07	990.69
118	40	583.32	524.00
119	40	583.32	524.00
120	35	510.41	401.19
121	3Ø	437.49	294.75
122	30	437.49	294.75
123	55	802.07	990.69
124	55	802.07	990.69
125	40	583.32	524.00
126	40	583.32	524.00
127	35	510.41	401.19
128	3Ø	437.49	<b>294.</b> 75
129	3Ø	437.49	294.75
130	55	802.07	990.69
131	55	802.07	990.69
132	40	583.32	, 524.00
133	40	583.32	524.00
134	35	510.41	401.19
135	30	437.49	294.75
136	3Ø	437.49	294.75
137	55	802.07	990.69
138	55	802.07	<b>990.</b> 69
139	40	583.32	524.00

RUN	INVERTOR FREQUENCY	ROTOR VELOCITY (RPM)	ACCELERATION AT ROTOR EYE 2 (M/ SEC )
140 141 142 143 144 145 146 147 148 149 150 151 152 153 154	40 35 30 30 55 55 40 40 35 30 55 55 40 40	583.32 510.41 437.49 437.49 802.07 802.07 583.32 510.41 437.49 437.49 802.07 802.07 583.32 583.32	(M/ SEC )  524.00 401.19 294.75 294.75 990.69 990.69 524.00 401.19 294.75 294.75 990.69 990.69 524.00
155 156 157 158 159 160 161 162 163 164 165 166	35 30 30 55 55 40 40 35 30 55 55	510.41 437.49 437.49 802.07 802.07 583.32 510.41 437.49 437.49 802.07 802.07 803.32	524.00 401.19 294.75 294.75 990.69 990.69 524.00 401.19 294.75 294.75 990.69 990.69
168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184	40 35 30 40 40 40 45 45 45 55 55 55 55	583.32 510.41 437.49 437.49 583.32 583.32 583.32 565.24 656.24 656.24 656.24 656.24 802.07 802.07 802.07 802.07 802.07 802.07	524.00 401.19 294.75 294.75 524.00 524.00 524.00 663.19 663.19 663.19 990.69 990.69 990.69 990.69

RUN	INVERTOR FREQUENCY	ROTOR VELOCITY (RPM)	ACCELERATION AT ROTOR EYE (M/ SEC )
186 187	55 55	802.07 802.07	990.69 <b>990.</b> 69
188	55	802.07	990.69
189	55	802.07	990.69
190	55	802.07	990.69
191	55	802.07	990.69
192	<b>5</b> 5	8 <b>02.</b> 07	990.69
193	4Ø	583.32	524.00
194	40	583.32	524.00
195	55	802.07	990.69
196	55	802.07	990.69
197	5Ø	729.15	818.76
198	50	729.15	818.76
199	5Ø	729.15	818.76
200	5Ø	729.15	818.76
201	55	802.07	990.69
202	55	802.07	990.69
2Ø3	<b>5</b> 5	802.07	990.69
2Ø4	40	583.32	524.00
2Ø5	40	583.32	524.00
2Ø6	40	583.32	524.00
2Ø7	55	802.07	990.69
2Ø8	55	802.07	990.69
2Ø9	55	802.07	990.69

RUN.	INFLUENT BENZENE (ug/1)	INFLUENT TOLUENE (ug/1)		EFFLUENT BENZENE (ug/1)	: :	<b>COLUENE</b>	٩	≹ REM BENZENE		REM
1	95.00	64.00	,	.20	<	2.00	>	99.79	>	96.88
2	108.00	64.00	`	.20	`	2.00	,	99.81	>	96.88
3	104.00		`	1.00	`	2.00	,	99.04	>	76.83
4	95.00		`		`	2.00	,	98.95	>	96.72
Ę	107.00	75.00	-		<	2.00		99.07	>	
6	125.00	70.00		2.00		2.00		98.4ม		97.14
7	111.00	63.00		4.00		4.00		96.40		93.65
8	103.00	71.00		6.00		5.00	ł	94.17		92.96
9	141.00	105.00	<	1.00	<	2.00	>	99.29	>	98.10
10	121.00	105.00	<	1.00	<	2.00	>	99.17	>	98.10
11	110.00	93.00		2.00		3.00		98.18		96.77
1.2	128.00	103.00		3 <b>.ØØ</b>		5.ØØ		97.66		95.15
13	133.00	106.00	<	1.00	<	2.ØØ	>	99.25	>	98.11
14	167.00	89.00		2.00		3.ØØ		98.13		96.63
15	107.00	82.00		3.00		4.00		97.20		95.12
11.	113.00	90.00		5.00		7.00		95.58		92.22
1.7	103.00	83.00		7.00		8.00	l	93.20		90.36
18	92.00		<		<	2.00	>	99.78		97.98
19	112.00	117.00			<	2.00	>	99.82	>	98.29
2Ø	107.00	96.00			<	2.00	>	99.81	>	97.92
21	101.00	92.00	<		<	2.00	>	99.01	>	97.83
22 23	103.00	99.00	,	2.00	,	4.00		98.06 99.87		95.96 97.87
23 24	152.15 270.00	93.75 100.00	< <	.2Ø .2Ø	< <	2.00 2.00	<b>&gt;</b>   <b>&gt;</b>	99.87	>	98.00
2 <del>4</del> 25	217.00	91.00	`	.20	`	2.00	`	99.91	>	97.80
26	240.00		`	.20	`	2.00	>	99.92	>	97.87
27	257.00	103.00	`		`	2.00		99.61	>	98.06
28	161.33	111.34	<	.20	`	.500	,	99.88	>	99.55
29	165.04	114.05	`	.20	ζ.	.500	>	99.88	>	99.56
30	143.46	109.92	<	.20	<	.500	>	99.86	<b> </b>	99.55
31	134.30	94.00	<	1.00	<	2.00	>	99.26	>	
3.2	151.25	104.05		3.00		4.00	1	98.02		96.16
33	170.15	124.95		119.43		105.19	•	29.81		15.81
34	131.17	81.69		6.35		4.86		95.16		94.05
<b>3</b> 5	136.38	87.61			<	2.00		99.01	>	97.72
36	133.81	83.28		1.55	<	2.00		98.84	>	97.60
37	134.35	75.09	<	1.00	<	2.00	>	99.26		97.34
38	132.24	74.78		1.44	<	2.00		98.9.		97.33
39	129.42	73.30	<		<	2.00	>	99.23	>	97.27
40	167.79	.00			<	.50.		91.05	>	N/A
41	170.23	.00		-	<	.50	1	91.26	>	N/A
42	173.71	.00			<	.50		89.93	>	N/A
43	182.31	.00			<	.50		85.67	>	N/A
44	174.58	.00			<	.5Ø		69.55	>	N/A
45 46	108.15	.00		2.29		.50	ļ	97.88	>	N/A
46	113.31	.00		1.99		.50	ı	98.24	!	N/A
47	104.54	.00		4.60	<	.50	l	95.60	>	N/A

RUN	INFLUENT BENZENE (ug/I)	FFFLUENT TOLUENE (ug/1)	BENZENE	EFFLUENT TOLUENE (ug/l)	REM BENZEN	E REM
48	113.53	.øø	12.40	, 50	1 00 00	
49	115.29	.00	42.20		89.08	1 '
5Ø	3223.10	.00	161.39		63.40	1
51	3101.61	.00	151.65		94.39	( ' '
52	4055.98	.00	113.04		95.11	,
53	3735.01	.00	173.04		97.21	
54	3633.69	.00	844.81		95.37	, ,
56	3301.80	423.32	38.92		76.75	
57	3696.7Ø	486.30	38.42	•	98.82	
58	3794.30	477.99	40.09		98.96	4
59	3651.3Ø	459.52	57.01		98.94	
6Ø	3402.20	428.43	321.26	37.19	98.44	1
61	3798.90	476.43	25.88	.50	90.56	
62	8080.50	N/A	158.52		99.32	
63	8167.00	N/A	130.31		98.04	, -
64	8063.60	N/A	130.61		98.40	
65	8077.60	N/A		.50	98.38	( ' '
66	8180.60	N/A		.50	98.41	> N/A
67	8000.00	N/A	97.42	.50	98.46	
68	116.42	399.17 <	.20		98.78	> N/A
69	118.75	403.78 <	.20		> 99.83	> 99.87
7Ø	119.83	423.32 <	.20		> 99.83	> 99.88
7]	112.60	406.41 <	.20		> 99.83	> 99.88
72	114.90	401.19 <	.20	.50	> 99.82	> 99.88
73	123.82	425.94 <	.20	3.07	1	> 99.88
74		1068.00 <	.20	9.05	> 99.84 > 99.86	99.28
75		1125.00 <	.20	8.78	> 99.86	99.15
76		1178.40 <	.20	7.08	> 99.87	99.22
77	130.97	1181.10 <	.20	7.91	> 99.85	99.40
78	132.38	1164.40 <	.2Ø	7.22	> 99.85	99.33
79	124.12	1103.00 <	. 2ø	11.46	> 99.84	99.38
8Ø	123.52	l119.9ø <	.20	14.57	> 99.84	98.70
81	32.33	1589.3Ø <	.20	50.59	> 99.38	96.82
82	152.33	5793.9Ø <	.20	57.85	> 99.87	99.15
83	150.71	5583.9Ø <	.20	56.68	> 99.87	99.14
84	126.7Ø 5	955.9Ø <	.20	58.ØØ	> 99.84	
85		178.40 <	.20	62.36	> 99.86	99.03
86	140.79	6Ø87.1Ø <	.20	84.28	> 99.86	98.62
87		241.20 <	.20	101.99	> 99.87	98.37
88	118.84 17	379.00 <	.20	74.10	> 99.83	99.57
89		114.00 <	.20	91.06	> 99.83	99.43
90		805.00 <	.20	80.03	> 99.84	99.52
91		Ø08.00 <	.20	113.22	> 99.84	99.34
92		194.00 <	.20	136.42	> 99.84	29.71
93		014.00 <	.20	225.52	> 99.85	98.75
94		038.00 <	.20	286.13	> 99.85	98.50
165	476.72	362.76 <	1.00 <	1	> 99.79	> 99.86
				•		

RUN	INFLUENT BENZENE (ug/1)	EFFLUENT TOLUENE (ug/1)	INFLUENT BENZENE (ug/1)	:	TOLUENE	% REM BENZENE	% REM TOLUENE
166	505.68	366.59	1.00	<	.5Ø	> 99.80	> 99.86
167	509.10	375.66	1.00	<	.5Ø	> 99.8Ø	> 99.87
168	511.56	368.9Ø <	1.00	<	.5Ø	> 99.8Ø	> 99.86
169	533.38	374.83	1.00	<	.5Ø	> 99.81	> 99.87
170	507.75	342.95	1.18	<	.5Ø	99.77	> 99.85
171	553.91	366.3Ø	1.84	<	2.00	99.67	> 99.45
172	1977.60	443.36	6.07	<	.5Ø	99.69	> 99.89
173	1893.70	484.37	7.73	<	.5Ø	99.59	> 99.90
174	1955.07	454.41	9.74	<	.5Ø	99.5Ø	> 99.89
175	2161.10	492.85	16.23		2.86	99.25	99.42
176	2258.90	344.86		<	.5Ø	96.62	> 99.86
177	2768.80	362.22		<	.50	97.71	> 99.86
178	2436.90	319.82		<	.50	97.52	> 99.84
179	2717.10	353.69	66.62	<	.50	97.55	> 99.86
180	2676.90	363.38	50.71	<	.50	98.11	> 99.86
181	2717.20	311.68	48.83	<	.50	98.20	> 99.84
182	2562.60	312.98	43.63	<	.5Ø	98.30	> 99.84
183	2978.00	383.93	42.33	<	.50	98.58	> 99.87
184	4602.70	427.25	90.84	<	.50	98.03	> 99.88
185	4719.70	418.47		<	.50	97.81	> 99.88
186	4418.90	375.26	106.28	<	.5Ø	97.59	> 99.87
187	4610.50	404.39	89.74	<	.5Ø	98.05	> 99.88
188	4884.40	446.18	32.06	<	.50	99.34	> 99.89
189 190	4712.80	351.36	33.56	< <	.5Ø .5Ø	99.29 99.34	> 99.86 > 99.88
191	4859.30 4976.70	412.41 435.41	31.91 28.63	<	.50	99.34	> 99.89
191	4553.90	504.17	79.27	`	.50 .50	98.26	> 99.90
193	4434.50	397.88	60.65	`	.50	98.63	> 99.87
193	4645.50	512.04	51.58	`	.50	98.89	> 99.90
195	4330.50	371.48	42.57	`	.5Ø	99.02	> 99.87
196	4718.00	5Ø7.18	35.21	`	.5Ø	99.25	> 99.90
197	1680.00	552.45	1.83	`	.5Ø	99.89	> 99.91
198	1784.30	606.38	1.66	`	.5ø	99.91	> 99.92
199	1537.50	447.97		`	.5ø	99.88	> 99.89
200	1654.70	532.59	2.92	`	.50	99.82	> 99.91
201	2333.20	684.43	19.58		.5Ø	99.16	> 99.93
202	2429.00	647.15		<	.50	99.19	> 99.92
203	2462.30	657.71	16.64	<	.50	99.3?	> 99.92
204	4402.50	527.54	22.33	ζ.	.50	99.49	> 99.91
205	4158.70	488.06	21.51	<	.50	99.48	> 99.90
206	4661.50	573.69	21.53	<	.50	99.54	> 99.91
207	4640.50	570.06		<	.50	99.68	> 99.91
208	4742.30	567.79		<	.50	99.69	> 99.91
209	4572.20	535.38		<	.5Ø	99.70	> 99.91

127181			INFLUENT		٥	DIMAGNAT	O TOTAL AVEN
RUN	TCE (ug/l)	TCE (ug/l)	1,2-DCE (ug/1)		₹	TCE	% REMOVAL 1,2-DCF
	_	_	. 5, .	. 5, ,			•
95	270.00	.88				99.67	
96	290.88	.59				99.80	
97	267.73	. 59				99.78	
98	268.85	.22				99.92	
99	264.20	.44				99.83	
100	261.22	1.39				99.47	
101	290.70	.82				99.72	
102	897.21	.53				99.94	
103	743.31	.58				99.92	
104	798.23	.56				99.93	
105	835.71	.51				99.94	
106	970.53	.8ø				99.92	
107	691.91	1.88				99.73	
108	686.22	3.85				99.44	
109	2903.50	6.97				99.76	
110	2615.60	5.28				99.80	
111 112	2885.30	5.80				99.80	
113	2700.40	5.29				99.80	
113	2863.5Ø 2921.9Ø	5.61				99.80	
115	2921.90	11.71 19.31				99.60 99.35	
116	2930.10	19.31	258.28	1 00		99.33	99.30
117			236.28	1.80 26.26			88.91
117			310.13	20.20			93.35
119			315.08	39.90			87.34
120			284.33	43.66			84.64
121			353.47	59.74			33.1U
122			357.5Ø	93.47			73.85
123			1044.40	10			99.04
124			1031.50	62.62			93.93
125			1136	64			94.37
126			1014.70	95			90.64
127			986.91	106.26			89.23
128			1174.90	146.13			87.56
129			1105.30	226			79.55
130			2808.80	15.17			99.46
131			2968.50	229			92.29
132			3011.20	162.97			94.59
133			3037.30	284.13			90.65
134			3071.80	341.12			88.90
135			3039.90	431.41			35.81
136			3083.90	769.28			75.05
137	421.13	Ø				100	
138	439.94	Ø				100	
139	441.88	Ø				100	
140	437.69	Ø				100	
141	484.44	.29				99.94	

FUN	INFLUENT TCF (ug/1)	EFFLUENT TCE (ug/1)	INFLUENT 1,2-DCE (ug/1)	EFFLUENT 1,2-DCE (ug/1)	8	REMOVAL T'CE	% REMOVAL 1,2-DCE
142	509.96	.55				99.89	
143	265.53	1.01				99.62	
165	462.20	.86	702.39	4.08		99.81	99.42
166	813.08	.59	693.43	71.88		99.93	89.63
167	914.80	1.23	716.44	64.34		99.87	91.02
168	980.42	NA	751.26			NA	NA
169	1056.30	NA	769.45			NA	NA
170	1043.40	NA	743.95			NA	NA
171	1132.10	2.10	767.45	180.94		99.81	76.42
172	6079.14	11.84				99.81	
173	5447.8Ø	13.67				99.75	
174	6279.30	16.27				99.74	
175	6328.20	19.11				99.7Ø	

RUN	INFLUENT PCE (ug/1)	EFFLUENT PCE (ug/1)	8	REMOVAL PCE
144	159.28	.24		99.85
145	163.52	NA		NA
146	163.76	.42		99.74
147	173.54	.28		99.84
148	181.75	.41		99.77
149	161.88	.57		99.65
150	163.63	.46		99.72
151	415.99	.65		99.84
152	170.75	.7Ø		99.59
153	315.29	.66		99.79
154	305.56	.59		99.81
155	300.42	.66		99.78
156	354.39	.64		99.82
157	320.34	.66		99.79
158	537.96	3.80		99.29
159	726.26	3.87		99.47
160	741.19	2.20		99.70
161	751.66	2.91		99.61
162	796.94	2.57		99.68
163	804.01	2.77		99.66
164	752.99	3.32		99.56
165	621.99	1.11		99.82
166	1017.40	.72		99.93
167	1058.50	<b>.7</b> 5		99.93
168	1065	NA		NA
169	1066.90	NA		NA
17Ø	1048.10	NA		NA
171	1090.90	1.57		99.86

			_	
	0.0/4.703.75	CHEMICAL	PERCENT	ROTOR
RUN	GAS/LIQUID	COMPOUND	REMOVAL	VELOCITY
	(CF/CF)			(RPM)
1	63.42	BENZENE	99.79	787.48
1 2	63.42	BENZENE	99.81	583.32
3	52.85	BENZENE	99.04	437.49
4	48.78	BENZENE	98.95	364.58
5	12.05	BENZENE	99.07	729.15
6	11.64	BENZENE	98.4Ø	583.32
7	11.64	BENZENE	96.40	437.49
8	11.64	BENZENE	94.17	364.58
9	19.92	BENZENE	99.29	729.15
10	19.92	BENZENE	99.17	583.32
11	19.92	BENZENE	98.18	437.49
12	19.92	BENZENE	97.66	364.58
13	32.52	BENZENE	99.25	729.15
14	11.64	BENZENE	98.13	736.44
15	11.64	BENZENE	97.20	583.32
16	11.64	BENZENE	95.58	437.49
17	11.64	BENZENE	93.20	364.58
18	33.66	BENZENE	99.78	874.98
19	33.66	BENZENE	99.82	729.15
2Ø	33.66	BENZENE	99.81	583.32
21	33.66	BENZENE	99.01	437.49
22	33.66	BENZENE	98.06	364.58
23	56.57	BENZENE	99.87	874.98
24	56.57	BENZENE	99.93	729.15
25	56.57	BENZENE	99.91	583.32
26	56.57	BENZENE	99.92	437.49
27	56.57	BENZENE	99.61	364.58
28	56.57	BENZENE	99.88	874.98
29	56.57	BENZENE	99.88	729.15
30	56.57	BENZENE	99.86	583.32
31	56.57	BENZENE	99.26	437.49
32	56.57	BENZENE	98.02	364.58
1	63.42	TOLUENE	96.88	787.48
2	63.42	TOLUENE	96.88	583.32
3	52.85	TOLUENE	96.83	437.49
4	48.78	TOLUENE	96.72	364.58
5	12.05	TOLUENE	97.33	729.15
6	11.64	TOLUENE	97.14	583.32
7	11.64	TOLUENE	93.65	437.49
8	11.64	TOLUENE	92.96	364.58
9	19.92	TOLUENE	98.10	729.15
10	19.92	TOLUENE	98.10	583.32
11	19.92	TOLUENE	96.77	437.49
12	19.92	TOLUENE	95.15	364.58
13	32.52	TOLUENE	98.11	729.15
14	11.64	TOLUENE	96.63	736.44
15	11.64	TOLUENE	95.12	583.32

RUN	GAS/LIQUID (CF/CF)	CHEMICAL COMPOUND	PERCENT REMOVAL	ROTOR VELOCITY (RPM)
16 17	11.64 11.64	TOLUENE TOLUENE	92.22 90.36	437.49 364.58
18	33.66	TOLUENE	97.98	874.98
19	33.66	TOLUENE	98.29	729.15
20	33.66	TOLUENE	97.92	583.32
21	33.66	TOLUENE	97.83	437.49
22	33.66	TOLUENE	95.96	364.58
23	56.57	TOLUENE	97.87	874.98
24	56.57	TOLUENE	98.00	729.15
25 26	56.57	TOLUENE	97.80	583.32
26 27	56.57	TOLUENE	97.87	437.49
27	56.57	TOLUENE	98.06	364.58
28 29	56.57	TOLUENE	99.55	874.98
29 3Ø	56.57	TOLUENE	99.56	729.15
31	56.57	TOLUENE	99.55	583.32
32	56.57 56.57	TOLUENE	97.87	437.49
95	15.15	TOLUENE	96.16	364.58
96	56.81	TCE	99.67	802.07
97	69.12	TCE	99.80	802.07
98	55.86	TCE	99.78	583.32
99	55.86	TCE	99.92	583.32
100	55.86	TCE	99.83	510.41
101	37.87	TCE TCE	99.47	437.49
102	149.60	TCE	99.72	437.49
103	56.10	TCE	99.94	802.07
104	68.26	TCE	99.92 99.93	802.07
105	55.17	TCE	99.94	583.32
106	55.17	TCE	99.92	583.32 510.41
107	55.86	TCE	99.73	437.49
108	37.87	TCE	99.44	437.49
109	153.44	TCE	99.76	802.07
110	57.54	TCE	99.80	802.07
111	70.01	TCE	99.80	583.32
112	56.58	TCE	99.80	583.32
113	56.58	TCE	99.80	510.41
114	57.31	TCE	99.60	437.49
115	38.86	TCE	99.35	437.49
117	58.29	1,2-DCE	88.91	802.07
118	70.91	1,2-DCE	93.35	583.32
119	58.07	1,2-DCE	87.34	583.32
120	58.07	1,2-DCE	84.64	510.41
121	58.84	1,2-DCE	83.10	437.49
122	39.89	1,2-DCE	73.85	437.49
123	155.43	1,2-DCE	99.04	802.67
124	59.05	1,2-DCE	93.93	802.07
125	71.85	1,2-DCE	94.37	583.32

RUN	GAS/LIQUID (CF/CF)	CHEMICAL COMPOUND	PERCENT REMOVAL	ROTOR VELOCITY (RPM)
126	58.84	1,2-DCE	90.64	583.32
127	58.84	1,2-DCE	89.23	510.41
128	58.84	1,2-DCE	87.56	437.49
129	40.43	1,2-DCE	79.55	437.49
130	155.43	1,2-DCE	99.46	802.07
131	58.29	1,2-DCE	92.29	802.07
132	71.85	1,2-DCE	75.05	583.32
133	58.Ø7	1,2-DCE	90.65	583.32
134	58.84	1,2-DCE	88.90	510.41
135	59.64	1,2-DCE	85.81	437.49
136	40.43	1,2-DCE	75.05	437.49
144	170.97	PCE	99.85	802.07
145	64.11	PCE	AИ	802.07
146	78.Ø1	PCE	99.74	583.32
147	63.05	PCE	99.84	583.32
148	63.05	PCE	99.77	510.41
149	63.05	PCE	99.65	437.49
150	43.36	PCE	99.72	437.49
151	170.97	PCE	99.84	802.07
152	64.11	PCE	99.59	802.07
153	78.Ø1	PCE	99.79	583.32
154	63.05	PCE	99.81	583.32
155	63.05	PCE	99.78	510.41
156	63.96	PCE	99.82	437.49
157	43.36	PCE	99.79	437.49
158	170.97	PCE	99.29	802.07
159	64.11	PCE	99.47	802.07
160	78.Ø1	PCE	99.70	583.32
161	63.96	PCE	99.61	583.32
162	63.96	PCE	99.68	510.41
163	64.90	PCE	99.66	437.49
164	44.00	PCE	99.56	437.49
165	170.97	PCE	99.82	802.07
166	64.11	PCE	99.93	802.07
167	78 <b>.</b> Ø1	PCE	99.93	583.32
168	63.96	PCE	NA	583.32
169	63.96	PCE	NА	510.41
170	63.96	PCE	NA	437.49
171	44.00	PCE	99.86	437.49

RUN	CHEMICAL COMPOUND	INFLUENT CONC. (ug/1)	PERCENT REMOVAL	ROTOR VELOCITY (RPM)	GAS/LIQUID (CF/CF)
1	BENZENE	95.00	99.79	787,48	63.42
2	BENZENE	108.00	99.81	583.32	63.42
3	BENZENE	104.00	99.04	437.49	52.85
4	BENZENE	95.ØØ	98.95	364.58	48.78
5	BENZENE	107.00	99.07	729.15	12.05
6	BENZENE	125.00	98.40	583.32	11.64
7	BENZENE	111.00	96.40	437.49	11.64
8	BENZENE	103.00	94.17	364.58	11.64
9	BENZENE	141.00	99.29	729.15	19.92
10	BENZENE	121.00	99.17	583.32	19.92
11	BENZENE	110.00	98.18	437.49	19.92
12	BENZENE	128.00	97.66	364.58	19.92
13	BENZENE	133.00	99.25	729.15	32.52
14	BENZENE	107.00	98.13	736.44	11.64
15	BENZENE	107.00	97.2Ø	583.32	11.64
16	BENZENE	113.00	95.58	437.49	11.64
17	BENZENE	103.00	93.20	364.58	11.64
18	BENZENE	92.00	99.78	874.98	33.66
19	BENZENE	112.00	99.82	729.15	33.66
2Ø 21	BENZENE	107.00	99.81	583.32	33.66
22	BENZENE	101.00	99.01	437.49	33.66
23	BENZENE	103.00	98.06	3 <b>64.</b> 58	33.66
23 24	BENZENE	152.15	99.87	874.98	56.57
25	BENZENE	270.00	99.93	729.15	56.57
26	BENZENE	217.00	99.91	583.32	56.57
27	BENZENE	240.00	99.92	437.49	56.57
28	BENZENE BENZENE	257.00	99.61	364.58	56.57
29	BENZENE	161.33	99.88	874.98	56.57
3ø	BENZENE	165.04	99.88	729.15	56.57
31	BENZENE	143.46	99.86	583.32	56.57
32	BENZENE	134.30	99.26	437.49	56.57
1	TOLUENE	151.25	98.02	364.58	56.57
	TOLUENE	64.00	96.88	787.48	63.42
2 3	TOLUENE	64.00 63.00	96.88	583.32	63.42
4	TOLUENE	61.00	96.83	437.49	52.85
5	TOLUENE	75.ØØ	96.72	364.58	48.78
6	TOLUENE	70.00 70.00	97.33	729.15	12.05
7	TOLUENE	63.ØØ	97.14	583.32	11.64
8	TOLUENE	71.00	93.65	437.49	11.64
9	TOLUENE	105.00	92.96 98.10	364.58	11.64
10	TOLUENE	105.00	98.10	729.15	19.92
11	TOLUENE	93.00	96.77	583.32	19.92
12	TOLUENE	103.00	95.15	437.49 364.58	19.92
13	TOLUENE	106.00	98.11	729.15	19.92
14	TOLUENE	89.00	96.63	736.44	32.52
15	TOLUENE	82.00	95.12	583.32	11.64 11.64
				202.32	11.04

RUN	CHEMICAL COMPOUND	INFLUENT CONC. (ug/1)	PERCENT REMOVAL	ROTOR VELOCITY (RPM)	GAS/LIQUID (CF/CF)
16	TOLUENE	90.00	92.22	437.49	11.64
17	TOLUENE	83.00	90.36	364.58	11.64
18	TOLUENE	99.00	97.98	874.98	33.66
19	TOLUENE	117.00	98.29	729.15	33.66
20	TOLUENE	96.00	97.92	583.32	33.66
21	TOLUENE	92.00	97.83	437.49	33.66
22	TOLUENE	99.00	95.96	364.58	33.66
23	TOLUENE	93.75	97.87	874.98	56.57
24	TOLUENE	100.00	98.ØØ	729.15	56.57
25	TOLUENE	91.00	97.8Ø	583.32	56.57
26	TOLUENE	94.00	97.87	437.49	56.57
27	TOLUENE	103.00	98.06	364.58	56.57
28	TOLUENE	111.34	99.55	874.98	56.57
29	TOLUENE	114.05	99.56	729.15	56.57
30	TOLUENE	109.92	99.55	583.32	56.57
31	TOLUENE	94.00	97.87	437.49	56.57
32	TOLUENE	104.05	96.16	364.58	56.57
95	TCE	270	99.67	802.07	15.15
96	TCE	290.88	99.80	802.07	56.81
97	TCE	267.73	99.78	583.32	69.12
98	TCE	268.85	99.92	583.32	55.86
99	TCE	264.20	99.83	510.41	55.86
100 101	TCE	261.22	99.47	437.49	55.86
101	TCE	290.70	99.72	437.49	37.87 149.60
102	TCE TCE	897.21 743.31	99.94 99.92	8Ø2.Ø7 8Ø2.Ø7	56.10
103	TCE	798.23	99.92	583.32	68.26
105	TCE	835.71	99.94	583.32	55.17
106	TCE	970.53	99.92	510.41	55.17
107	TCE	691.91	99.73	437.49	55.86
108	TCE	686.22	99.44	437.49	37.87
109	TCE	2903.50	99.76	802.07	153.44
110	TCE	2615.60	99.80	802.07	57.54
111	TCE	2885.30	99.80	583.32	70.01
112	TCE	2700.40	99.80	583.32	56.58
113	TCE	2863.50	99.80	510.41	<b>56.</b> 58
114	TCE	2921.90	99.60	437.49	57.31
115	TCE	2956.10	99.35	437.49	38.86
117	1,2-DCE	236.84	88.91	802.07	58.29
118	1,2-DCE	310.13	93.35	583.32	70.91
119	1,2-DCE	315.Ø8	87.34	583.32	58.07
120	1,2-DCE	284.33	84.64	510.41	58.07
121	1,2-DCE	353.47	83.10	437.49	58.84
122	1,2-DCE	357.5Ø	73.85	437.49	39.89
123	1,2-DCE	1044.40	99.04	802.07	155.43
124	1,2-DCE	1031.50	93.93	802.07	59.05
125	1,2-DCE	1136	94.37	583.32	71.85

RUN	CHEMI CAL COMPOUND	INFLUENT CONC. (ug/1)	PERCENT REMOVAL	ROTOR VELOCITY (RPM)	GAS/Liquid (CF/CF)
126	1,2-DCE	1014.70	90.64	583.32	58.84
127	1,2-DCE	986.91	89.23	510.41	58.84
128	1,2-DCE	1174.90	87.56	437.49	58.84
129	1,2-DCE	1105.30	79.55	437.49	40.43
13Ø	1,2-DCE	2808.80	99.46	802.07	155.43
131	1,2-DCE	2968.5Ø	92.29	802.07	58.29
132	1,2-DCE	3083.90	75.Ø5	583.32	71.85
133	1,2-DCE	3037.30	90.65	583.32	58.07
134	1,2-DCE	3071.80	88.90	510.41	58.84
135	1,2-DCE	3039.90	85.81	437.49	59.64
136	1,2-DCE	3083.90	75.05	437.49	40.43
144	PCE	159.28	99.85	802.07	170.97
145	PCE	163.52	NA	802.07	64.11
146	PCE	163.76	99.74	583.32	78.01
147	PCE	173.54	99.84	583.32	63.05
148	PCE	181.75	99.77	51Ø.41	6 <b>3.0</b> 5
149	PCE	161.88	99.65	437.49	63.05
15Ø	PCE	163.63	99.72	437.49	43.36
151	PCE	415.99	99.84	802.07	170.97
152	PCE	1 <b>70.</b> 75	99.59	802.07	64.]]
153	PCE	315.29	99.79	583.32	78.Øl
154	PCE	3Ø5.56	99.81	583.32	63.05
155	PCE	300.42	99.78	510.41	63.05
156	PCE	354.39	99.82	437.49	63.96
157	PCE	320.34	99.79	437.49	43.36
158	PCE	537.96	<b>99.</b> 29	802.07	170.97
159	PCE	726.26	99.47	802.07	64.11
160	PCE	741.19	99.7Ø	583.32	78.01
161	PCE	751.66	99.61	583.32	63.96
162	PCE	796.94	99.68	510.41	63.96
163	PCE	804.01	99.66	437.49	64.90
164	PCE	752.99	99.56	437.49	44.00
165	PCE	621.99	99.82	802.07	170.97
166	PCE	1017.40	99.93	802.07	64.11
167	PCE	1058.50	99.93	583.32	78.01
168	PCE	1065.00	NA	583.32	63.9€
169	PCE	1066.90	NA	510.41	63.96
17Ø	PCE	1048.10	NA	437.49	63.96
171	PCE	1090.90	99.86	437.49	44.00

WATER)  1 787.48 8.20 63.42 2 583.32 7.20 63.42 3 437.49 6.60 52.85 4 364.58 10.30 48.78 5 729.15 3.30 12.05 6 583.32 2.30 11.64 7 437.49 1.80 11.64 8 364.58 1.50 11.64 9 729.15 3.50 19.92 10 583.32 2.70 19.92 11 437.49 2.10 19.92 12 364.58 2.10 19.92 13 729.15 4.50 32.52 14 736.44 3.00 11.64 15 583.32 2.20 11.64 16 437.49 1.70 11.64 17 364.58 1.50 33.66 20 583.32 3.60 33.66 21 437.49 3.40 33.66 22 364.58 4.80 33.66 23 874.98 6.60 56.57 24 729.15 5.50 56.57 25 583.32 4.90 56.57 26 437.49 5.10 56.57 27 364.58 9.20 56.57 28 874.98 7.30 56.57 29 729.15 5.80 56.57 28 874.98 7.30 56.57 29 729.15 5.80 56.57 21 437.49 5.10 56.57 22 364.58 9.20 56.57 23 37.49 5.10 56.57 24 729.15 5.50 56.57 25 583.32 5.20 56.57 28 874.98 7.30 56.57 29 729.15 5.80 56.57 30 583.32 5.20 56.57 31 437.49 5.50 56.57 32 364.58 9.20 56.57 33 157.50 4.90 56.57 34 437.49 5.50 56.57 35 37 729.15 3.90 13.51 35 874.98 4.30 17.66 36 729.15 3.70 17.66 37 729.15 3.90 21.82 38 583.32 3.00 33.74 49 43 364.58 7.60 34.49 40 583.32 7.00 59.76 41 583.32 3.00 33.74 42 437.49 4.10 34.49 43 364.58 7.60 34.49 44 364.58 2.00 12.88 45 583.32 5.70 61.09 46 583.32 4.40 39.14	RUN	ROTOR VELOCITY (RPM)	PRESSURE DIFFERENTIAL (INCHES OF	GAS/LIQUID (CF/CF)
4       364.58       10.30       48.78         5       729.15       3.30       12.05         6       583.32       2.30       11.64         7       437.49       1.80       11.64         9       729.15       3.50       19.92         10       583.32       2.70       19.92         11       437.49       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.45       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       33.66         20       583.32       3.60       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         23       874.98       5.00       33.66         23       874.98       6.60       56.57         25       5	2		8.20	
5       729.15       3.30       12.05         6       583.32       2.30       11.64         7       437.49       1.80       11.64         8       364.58       1.50       11.64         9       729.15       3.50       19.92         10       583.32       2.70       19.92         11       437.49       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       31.64         18       874.98       5.00       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       58			6.60	52.85
6 583.32 2.30 11.64 7 437.49 1.80 11.64 8 364.58 1.50 11.64 9 729.15 3.50 19.92 10 583.32 2.70 19.92 11 437.49 2.10 19.92 12 364.58 2.10 19.92 13 729.15 4.50 32.52 14 736.44 3.00 11.64 15 583.32 2.20 11.64 16 437.49 1.70 11.64 17 364.58 1.50 11.64 18 874.98 5.00 33.66 19 729.15 4.40 33.66 20 583.32 3.60 33.66 21 437.49 3.40 33.66 22 364.58 4.80 33.66 23 874.98 6.60 56.57 24 729.15 5.50 56.57 25 583.32 4.90 56.57 26 437.49 5.10 56.57 27 364.58 9.20 56.57 28 874.98 7.30 56.57 29 729.15 5.80 56.57 30 583.32 5.20 56.57 31 437.49 5.50 56.57 32 364.58 9.20 56.57 33 157.50 .40 2.10 34 874.98 3.90 13.51 35 874.98 4.30 17.66 36 729.15 3.90 21.82 38 583.32 3.00 20.78 39 583.32 3.00 33.74 42 437.49 4.10 34.49 43 364.58 7.60 34.49 44 364.58 7.60 34.49 45 583.32 4.00 33.74 42 437.49 4.10 34.49 43 364.58 7.60 34.49 44 364.58 7.60 34.49 43 364.58 7.60 34.49 44 364.58 7.60 34.49 45 583.32 5.70 61.09 46 583.32 5.70 61.09				
7       437.49       1.80       11.64         8       364.58       1.50       11.64         9       729.15       3.50       19.92         10       583.32       2.70       19.92         11       437.49       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         29				
8       364.58       1.50       11.64         9       729.15       3.50       19.92         10       583.32       2.70       19.92         11       437.49       2.10       19.92         12       364.58       2.10       19.92         12       364.58       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         24       729.15       5.50       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         30 <td< td=""><td></td><td></td><td></td><td></td></td<>				
9				
10       583.32       2.70       19.92         11       437.49       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         30       <				
11       437.49       2.10       19.92         12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         30       583.32       5.50       56.57         31       <				
12       364.58       2.10       19.92         13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         21       437.49       3.40       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         26       437.49       5.10       56.57         28       874.98       7.30       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33				
13       729.15       4.50       32.52         14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         33       157.50       .40       2.10         34 <td< td=""><td></td><td></td><td></td><td></td></td<>				
14       736.44       3.00       11.64         15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34 <t< td=""><td></td><td></td><td></td><td></td></t<>				
15       583.32       2.20       11.64         16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         30       583.32       5.20       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34 <t< td=""><td></td><td></td><td></td><td></td></t<>				
16       437.49       1.70       11.64         17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         30       583.32       5.20       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37 <t< td=""><td></td><td></td><td></td><td></td></t<>				
17       364.58       1.50       11.64         18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37 <t< td=""><td></td><td></td><td></td><td></td></t<>				
18       874.98       5.00       33.66         19       729.15       4.40       33.66         20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39 <t< td=""><td></td><td></td><td></td><td></td></t<>				
20       583.32       3.60       33.66         21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.00       20.78         39       583.32       7.00       59.76         41 <t< td=""><td>18</td><td>874.98</td><td></td><td></td></t<>	18	874.98		
21       437.49       3.40       33.66         22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       7.00       34.49         44 <t< td=""><td></td><td></td><td></td><td>33.66</td></t<>				33.66
22       364.58       4.80       33.66         23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43 <t< td=""><td></td><td></td><td></td><td></td></t<>				
23       874.98       6.60       56.57         24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       7.00       59.76         41       583.32       7.60       34.49         43       364.58       7.60       34.49         44 <t< td=""><td></td><td></td><td></td><td></td></t<>				
24       729.15       5.50       56.57         25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44 <t< td=""><td></td><td></td><td></td><td></td></t<>				
25       583.32       4.90       56.57         26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45 <t< td=""><td></td><td></td><td></td><td></td></t<>				
26       437.49       5.10       56.57         27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         43       364.58       2.00       12.88         45       583.32       5.70       61.09         46 <t< td=""><td></td><td></td><td></td><td></td></t<>				
27       364.58       9.20       56.57         28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
28       874.98       7.30       56.57         29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         37       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
29       729.15       5.80       56.57         30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
30       583.32       5.20       56.57         31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
31       437.49       5.50       56.57         32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
32       364.58       10.00       56.57         33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
33       157.50       .40       2.10         34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
34       874.98       3.90       13.51         35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
35       874.98       4.30       17.66         36       729.15       3.70       17.66         37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14	34			
37       729.15       3.90       21.82         38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14	35	874.98		
38       583.32       3.00       20.78         39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14	36		3.7Ø	17.66
39       583.32       3.30       24.93         40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14			3.90	21.82
40       583.32       7.00       59.76         41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				20.78
41       583.32       4.00       33.74         42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
42       437.49       4.10       34.49         43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
43       364.58       7.60       34.49         44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				
44       364.58       2.00       12.88         45       583.32       5.70       61.09         46       583.32       4.40       39.14				,
45 583.32 5.70 61.09 46 583.32 4.40 39.14				
46 583.32 4.40 39.14				

RUN	ROTOR VELOCITY (RPM)	PRESSURE DIFFERENTIAL (INCHES OF WATER)	GAS/LIQUID (CF/CF)
48	364.58	3.5Ø	40.07
49	364.58	1.30	17.81
5Ø	584.78	6.80	62.05
51	584.78	5.5Ø	5Ø.15
52	510.41	5.50	5Ø.73
53	437.49	6.10	51.32
54	364.58	1.80	13.20
56	583.32	6.90	63.49
57	583.32	5.50	51.92
58	510.41	5.50	52.54
59	437.49	6.10	52.54
60	364.58	1.90	13.68
61	729.15	8.00	72.98 71.24
62 63	729.15 583.32	8.00 6.80	65.79
64	583.32	5.5Ø	53.82
65	510.41	5.5Ø	55.17
66	437.49	6.30	55.17
67	730.61	10.80	115.08
68	729.15	8.70	68.00
69	802.07	6.90	51.00
7Ø	583.32	7.10	62.05
71	583.32	6.30	5Ø.15
72	510.41	6.00	5Ø.15
73	437.49	6.90	5Ø.15
74	729.15	8.60	70.40
75	583.32	6.70	65.00
76	802.07	7.00	53.43
77	583.32	6.00	53.82
78 70	510.41	5.5Ø 6.1Ø	53.82 53.82
79 8Ø	437.49 437.49	4.30	46.75
81	802.07	15.60	145.95
82	583.32	6.7Ø	66.59
83	802.07	6.00	55.41
84	583.32	5.90	54.48
85	510.41	5.70	55.17
86	437.49	5.90	55.17
87	437.49	4.40	4 37.40
88	802.07	14.50	142.48
89	583.32	6.7Ø	62.76
9Ø	802.07	6.10	54.07
91	583.32	5.80	53.82
92	510.41	5.60	53.82
93	437.49	6.00	55.17
94	437.49	4.30	37.40

RUN	ROTOR VELOCITY (RPM)	PRESSURE DIFFERENTIAL (INCHES OF WATER)	GAS/LIQUID (CF/CF)
95	802.07	13.80	15.15
96	802.07	6.70	56.81
97	583.32	6.70	69.12
98	583.32	5.7Ø	55.86
99	510.41	5.40	55.86
100	437.49	5.80	55.86
JØ1	437.49	4.40	37.87
102	802.07	15.60	149.60
103	802.07	7.00	56.1Ø
104	583.32	6.80	68.26
105	583.32	5.60	55.17
106	510.41	5.40	55.17
107	437.49	5.60	55.86
108	437.49	4.10	37.87
109	802.07	15.80	153.44
110	802.07	6.90	57.54
111	583.32	6.80	70.01
112	583.32	5.60	56.58
113 114	510.41	5.40	56.58
115	437.49 437.49	5.60 4.00	57.31 38.86
116	802.07	13.20	153.44
117	802.07	6.90	58.29
118	583.32	6.40	7Ø.91
119	583.32	5.60	58.07
120	510.41	5.40	58.07
121	437.49	5.70	58.84
122	437.49	4.30	39.89
123	802.07	13.20	155.43
124	802.07	7.10	59.05
125	583.32	6.80	71.85
126	583.32	5.7Ø	58.84
127	510.41	5.40	58.84
128	437.49	5.70	58.84
129	437.49	4.10	40.43
130	802.07	14.10	155.43
131	802.07	6.8Ø	58.29
132	583.32	6.70	71.85
133	583.32	5.70	58.07
134	510.41	5.50	58.84
135	437.49	5.70	<sup>'</sup> 59.64
136	437.49	4.30	40.43
137	802.07	13.10	157.47
138 139	8 <b>02.07</b> 583.32	6.90	69.71
140	583.32	6.7Ø 5.7Ø	72.81 58.84
		2110	30.04

RUN	ROTOR VELOCITY	PRESSURE DIFFERENTJAL	GAS/LIQUID
I(C)	(RPM)	(INCHES OF	(CF/CF)
	( /	WATER)	(02) 02)
141	510.41	5.30	59.64
142	437.49	5.60	60.45
143	437.49	4.30	41.56
144	802.07	12.50	170.97
145	802.07	7.10	64.11
146	583.32	6.60	78.01
147	583.32	5.50	63.05
148	510.41	5.30	63.05
149	437.49	5.40	63.05
150	437.49	4.10	43.36
151	802.07	12.70	170.97
152	802.07	6.90	64.11
153	583.32	6.60	78.01
154	583.32	5.60	63.05
155	510.41	5.40	63.05
156	437.49	5.6Ø	63.96
157	437.49	4.20	43.36
158	802.07	15.40	170.97
159	802.07	7.00	64.11
160	583.32	6.60	78.01
161	583.32	5.60	63.96
162	510.41	5.40	63.96
163	437.49	5.60	64.90
164	437.49	4.20	44.00 170.97
165 166	8Ø2.Ø7 8Ø2.Ø7	12.80 7.00	64.11
167	583.32	6.8Ø	78.01
168	583.32	5.6Ø	63.96
169	510.41	5.40	63.96
170	437.49	5.60	63.96
171	437.49	4.10	44.00
172	583.32	14.70	75.43
173	583.32	9.50	5ø.71
174	583.32	7.50	38.03
175	583.32	5.70	25.57
176	656.24	12.10	63.39
177	656.24	9.90	51.15
178	656.24	7.60	38.36
179	656.24	6.20	25.79
180	802.07	12.90	65.04
181	802.07	11.60	52.49
182	802.07	7.00	39.37
183	802.07	8.30	26.25
184	802.07	10.60	254.32
185	802.07	7.5Ø	149.60

RUN	ROTOR VELOCITY (RPM)	PRESSURE DIFFERENTIAL (INCHES OF WATER)	GAS/LIQUID (CF/CF)
186	802.07	11.80	74.8Ø
187	802.07	19.50	127.16
188	802.07	5.20	89.76
189	802.07	4.30	59.84
190	802.07	8.10	44.88
191	802.07	6.50	29.92
192	802.07	20.90	115.60
193	583.32	16.20	115.60
194	583.32	8.40	57.80
195	802.07	13.30	254.32
196	802.07	8.00	127.16
197	729.15	12.00	81.60
198	729.15	9.60	54.40
199	729.15	8.40	40.80
200	729.15	6.80	27.2Ø
201	802.07	12.00	81.60
202	802.07	9.80	54.4Ø
203	802.07	8.50	40.80
204	583.32	10.40	89.76
205	583.32	7.20	59.84
206	583.32	7.00	44.88
207	802.07	10.80	39.76
208	802.07	8.40	59.84
209	802.07	8.00	44.88

RUN	GAS/LIQUID (CF/CF)	TOTAL POWER CONSUMP. (KW)	ROTOR VELOCITY (RPM)	% REM BENZENE
1	63.42	22.53	787.48 >	99.79
2	63.42	17.65	583.32 >	99.81
3	52.85	14.30	437.49 >	99.04
4	48.78	12.85	364.58 >	98.95
5	12.05	18.33	729.15	99.07
6	11.64	15.25	583.32	98.40
7	11.64	12.71	437.49	96.40
8	11.64	11.40	364.58 >	94.17
9	19.92	18.75	729.15 >	99.29
10 11	19.92	15.88	583.32 >	99.17
12	19.92	13.38	437.49	98.18
13	19.92 32.52	12.25	364.58 >	97.66
14	11.64	19.50 17.94	729.15 >	99.25
15	11.64	17.94	736.44	98.13
16	11.64	12.82	583.32 437.49	97.20
17	11.64	11.35	364.58	95.58 93.20
18	33.66	22.43	874.98 >	99.78
19	33.66	19.31	729.15 >	99.82
2Ø	33.66	16.45	583.32 >	99.81
21	33.66	14.09	437.49 >	99.01
22	33.66	12.58	364.58	98.06
23	56.57	19.82	874.98 >	99.87
24	56.57	16.74	729.15 >	99.93
25	56.57	14.25	583.32 >	99.91
26	56.57	12.14	437.49 >	99.92
27	56.57	11.55	364.58	99.61
28 29	56.57	23.87	874.98 >	99.88
30	56.57	23.87	729.15 >	99.88
31	56.57 56.57	21.14	583.32 >	99.86
32	56.57	18.Ø1 17.21	437.49 >	99.26
33	2.10	10.76	364.58	98.02
34	13.51	17.01	157.50 874.98	29.61
35	17.66	16.75	874.98	95.16
36	17.66	14.10	700 15	99.01 98.84
37	21.82	13.87	729.15 > 729.15 >	99.26
38	20.78	11.29	583.32 >	98.91
39	24.93	11.27	583.32 >	99.23
40	59.76	19.24	583.32	91.05
41	33.74	18.84	583.32	91.26
42	34.49	14.75	437.49	89.93
43	34.49	13.00	364.58	85.67
44	12.88	11.75	364.58	69.55
45 46	61.09	18.75	583.32	97.58
46	39.14	16.77	583.32	98.24

EUN	GAS/LIQUID (CF/CF)	TOTAL POWER CONSUMP. (KW)	ROTOR VELOCIT (RPM)	Γ¥	% REM BENZENE
47	39.14	14.24	437.49	,	95.60
48	40.07	12.90	364.58		89.08
49	17.81	12.08	364.58		63.40
5€	62.05	18.42	584.78		94.99
51	50.15	17.83	584.78		95.11
52	50.73	16.36	510.41		97.21
53	51.32	14.97	437.49		95.37
54	13.20	11.98	364.58		76.75
56	63.49	18.16	583.32		98.82
57	51.92	17.21	583.32		98.96
58 50	52.54	15.81	510.41		98.94
59 60	52.54	14.63	437.49		98.44
681 63	13.68	11.75	364.58		90.56
61 62	72.98	20.42	729.15		99.32
63	71.24	20.85	729.15		98.04
64	65.79	17.39	583.32		98.40
€5	53.82	17.00	583.32		98.38
66	55.17 55.17	15.47	510.41		98.41
€.	115.08	14.30	437.49		98.46
(.8)	68.00	21.04	730.61	>	98.78
60	51.00	21.98	729.15	>	99.83
- (1	62.05	22.84 18.43	802.07	>	99.83
7.1	50.15	17.84	583.32	>	99.83
7.2	50.15	16.40	583.32	>	99.82
73	50.15	15.10	510.41 437.49	>	99.83
74	70.40	20.85	729.15	>	99.84
75	65.00	17.52	583.32	> >	99.86
76	53.43	21.42	802.07	>	99.86 99.87
77	53.82	17.06	583.32	>	99.85
7 <b>8</b>	53.82	15.64	510.41	>	99.85
79	53.82	14.48	437.49	>	99.84
HC.	46.75	13.77	437.49	>	99.84
<i>と</i> :	145.95	24.98	802.07	>	99.38
F.7	66.59	17.39	583.32	>	99.87
15.5	55.41	21.29	802.07	>	99.87
ਲੂਜ਼ੀ	54.48	16.91	583.32	>	99.34
85 	55.17	15.48	510.41	>	99.86
20€ -Ω™	55.17	14.32	437.49	>	99.86
:- મૃદ્	37.40	13.77	437.49	>	99.87
76 89	142.48	25.14	802.07	>	99.83
96	62.76 54. <b>0</b> 7	17.45	583.32	>	99.83
	54.07 53.82	21.37	802.07	>	99.84
92	53.82	17.00	583.32	>	99.84
भ <sup>5</sup> ड	55.17	15.64	510.41	>	99.84
**	=* * • <b>1</b> •	14.30	437.49	>	99.85

RUN	GAS/LIQUID (CF/CF)	TOTAL POWER CONSUMP. (KW)	ROTOR VELOCITY (RPM)	% REM BENZENE
94	37.40	13.79	437.49	> 99.85
165	15.15	24.63	802.07	> 99.79
166	56.81	21.03	802.07	> 99.84
167	69.12	17.17	583.32	> 99.80
168	55.86	16.76	583.32	> 99.80
169	55.86	15.33	510.41	> 99.80
170	55.86	14.22	437.49	99.81
171	37.87	18.88	437.49	99.77
172	149.60	24.79	802.07	99.67
173	56.1Ø	21.16	802.07	99.69
174	68.26	17.30	583.32	99.59
175	55.17	16.84	583.32	99.5Ø
176	55.17	15.45	510.41	99.25
177	55.86	14.21	437.49	96.62
178	37.87	13.56	437.49	97.71
179	153.44	23.95	802.07	97.52
180	57.54	20.47	802.07	<b>97.5</b> 5
181	70.01	16.85	583.32	98.11
182	56.58	16.48	583.32	98.20
183	56.58	15.21	510.41	98.30
184	57.31	13.97	437.49	98.58
185	38.86	13.25	437.49	98.03
186	153.44	23.93	802.07	97.81
187	58.29	20.11	802.07	97.59
188 189	70.91	16.66	583.32	98.05
190	58.07	16.03	583.32	99.34
191	58.07	14.82	510.41	99.29
191	58.84 39.89	13.86	437.49	99.34
193	155.43	13.07	437.49	99.42
194	59.05	23.48	802.07	98.26
195	71.85	19.99	802.07	98.63
196	58.84	16.54	583.32	98.89
197	58.84	15.86	583.32	99.02
198	58.84	14.72 13.83	510.41	99.25
199	40.43	13.83	437.49	99.89
200	155.43	23.32	437.49	99.91
	199.49	43.32	802.07	<b>99.</b> 88

Fup		OR Q NCY gpm	G SCFM	Ci in ug/l	Ce in ug/l	KLa in 1/min	G/L (vol/vol)
33	1.1	82	23	170.15	119.43	1.35	2
3	25	90	140	103.00	6.00	9.65	2
17	25	90	140	103.00	7.00	9.04	12
7	30	90	140	111.00	4.00	11.56	12
16	30	90	140	113.00	5.00	10.74	12 12
6	40	9Ø	140	125.00	2.00	14.83	12
15	40	90	140	107.00	3.00	12.57	12
14 5	50.50	90	140	107.00	2.00	14.20	12
	5 <i>0</i>	90	145	107.00	1.00	16.71	12
44 54	25 25	90	155	174.58	53.16	3.42	13
3.;	25	85	150	3633.69	844.81	4.05	13
60	60 35	72	130	131.17	6.35	7.83	14
36	25 50	82	150	3402.20	321.26	6.69	14
35	5g	72	170	133.81	1.55	10.98	18
49	6 <b>ଧ</b> 25	72	170	136.38	1.35	11.40	11.
12	25 25	84	200	115.29	42.20	2.52	18
11	23 30	92	245	128.00	3.00	11.32	28
10	30 40	92	245	110.00	2.00	12.14	2 <b>0</b>
9	50 50	92	245	121.00	1.00	14.69	20
38	40	92 72	245	141.00	1.00	15.19	20
37	5 <b>ઇ</b>	72 72	200	152.24	1.44	10.69	21
39	40	72	210	134.35	1.00	11.51	4. a
175	40	117	240	129.42	1.00	11.11	<b>.</b> .
179	45	116	400	2161.10	16.23	1	e ti
183	5.5	114	400 400	2717.10	66.62	13.40	.*€
200		110	400 400	297H.00	42.33	15.1+	. (
191	5.5	100	400 400	1654.70 4976.70	2.92	22.00	4.
13	511	92	400	133.00	ۇ يە . بىر ك	. 5. 97	<b>4 €</b> 1
22	₹) £,	90	40°	103.00	છછ	, t, <b>t</b> ∈ (1	1 · ·
21	30	90	40%	10 00	છા		•
20	÷κ'	90	40%	. ป . ปป			•
19	50	90	40%	112.00	. 26 . 26	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•
i ( (	t.e	46,	405	92.00	- 20 - 20		•
4:	4.0	4 2	4:	0.23	.4	e de la servición de la servic	•
43	٠	96	<b>‡</b>	. H 2 . 34			•
4.2	<b>ા</b>	945	4.1				•
++ Ţ	5 <b>%</b> *	-5 h.	400	104.00			.•
94	3 <b>년</b>	441	100	1 "ผ	. 13		
17.	+6*	110	1. <b>13</b> C	A 10 . 0 1			
17년 나	•	* * * * * * * * * * * * * * * * * * *	化砂胶	2 de 340 , 468	100 34 3		,
	36"	25.6	4.364	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	,	
એક. ∫સ,	71.	111	<b>4</b> • <b>4</b> •	1.1		مري الجوار	
i. Mili. Jigar		1.4		and the second	\$ 10 pm		
	•	<del>-</del> ••	• •	. 1	4.4		••'
	•	• •	1.4545	<b>₽</b> 4		, , , , , , ,	•
	•		10,00	• <sub>10</sub> • <sub>10</sub>	••	· 🍎 · •	• •
•		. • · • ·	+ 11k2	•	•	•	•

Run	*	INVERTOR FREQUENCY		G SCFM	Ci in ug/l	Ce in ug/l		G/L (vol/vol)
80		3Ø	8Ø	500	123.52	.20	15.10	47
4		25	92	600	95.00	1.00	12.17	
73		3Ø	88	590	123.82	.20		50
72		35	88	59Ø	114.90	.20		
71		40	88	59Ø	112.60	.20		5Ø
51		40	88	59Ø	3101.61			5Ø
173	3	40	118	800	1893.70	7.73	18.87	
52		35	87	59Ø	4055.98		8.97	51
69		55	88	600	118.75	.20	16.37	51
177	7	45	117	800	2768.80			51
53		30	86	5 <b>9</b> Ø	3735.01	173.08		
57		40	85	5 <b>9</b> Ø	3696.70	38.42		52
181	ļ	55	114	800	2717.20	48.83		52
5 <b>9</b>		3Ø	84	590	3651.30	57.01	10.07	53
58		35	84	5 <b>9</b> Ø	3794.30	40.09	11.04	53
3		3Ø	92	65Ø	104.00	1.00	12.34	53
76		55	84	600	149.33	.20	16.13	53
79		3Ø	82	5 <b>9Ø</b>	124.12	.20		54
78		35	82	5 <b>9</b> Ø	132.38	.20	15.45	54
92		35	82	5 <b>90</b>	127.51	.20	15.36	54
64		40	82	590	8063.60	130.61	9.73	54
7.		40	82	590	130.97	.20		F3 -4
• 1		40	82	59 <b>0</b>	127.34	. 20		
90		55	83	600	121.96	. 20		54
196	•	50	110	800	1784.30	1.66	22 .	្
75.44		40	81	590	126.70	. 20		
+ - +		36	ងម	590	8180.60			
/ 1 · 1		3 <b>0</b>	нө	590	140.79	. 20		
•		3 <b>6</b> (5	80	590	133.29			
		<b>,</b> ",	н <b>и</b> ни	5 <b>9</b> 6	4077.60			
			15 I		143.48	- 20		9.5
			17 A 14 BB	. –	150.71 257.00	. 20		
		•	+s £3	6.0°	2 - 1 - 1010 1 - 1 - 2 - 1			
			1161	60	. 40 . 50			
		· •	44	( (d) (	. 44. (M			
			63	Ú	36			
,'		- <b>i</b> • '		1.4			•	
				4 4	6. 11.		•	
			6.	4.4			•	
		• ••		4.41				
. •		. 64	4.4			<u>,</u> ,	•	
4.,		+ <del>+ 1</del>			4.		•	
•••		• • *	• ,	,		•*.	•	
•			•*	1444	•		.•.	•
•		••'	45"			. •	į.	•
•		4.64	• • • • • • • • • • • • • • • • • • • •	e <b>a</b> 4	4			
••		44"		•,	••		• •	

Run #	INVERTOR	Q	G	Ci	Ce	KLa	G/L
	FREQUENCY	gpm	SCFM	in ug/l	in ug/l	in 1/min	(vol/vol
89	40	87	73ø	117.13	5.0		
176	45	118	1000	· · · ·	.20	15.89	63
2	40	92	78ø		76.41	11.33	63
1	54	92	78ø	108.00	.20	16.57	63
56	40	86	73ø	95.00	.20	16.23	63
17Ø	3Ø	69	73Ø 59Ø	33Ø1.8Ø	38.92	10.88	63
169	35	69	59Ø	507.75	1.18	11.97	64
168	40	69	59Ø	533.38	1.00	12.40	64
166	55	70		511.56	1.00	12.32	64
75	40	84	600	505.68	1.00	12.47	64
180	55	115	730	144.06	.20	15.81	65
63	40	83	1000	2676.90	50.71	12.95	65
82	40 40		73Ø	8167.00	130.31	9.75	66
68	5 <b>0</b>	82	730	152.33	.2Ø	15.54	67
74	50	88	800	116.42	.2Ø	15.97	68
62	50	85	800	142.17	.20	15.88	70
61	5Ø	84	800	8080.50	158.52	9.33	71
186	5 <b>5</b>	82	800	3798.90	25.88	11.58	73
172	4Ø	100	1000	4418.90	106.28	10.49	75
167	40 40	119	1200	1977.6Ø	6.07	19.49	75
197	5 <b>ø</b>	70	73Ø	509.10	1.00	12.33	78
188		110	1200	1680.00	1.83	21.18	82
67	5.5 5.0	5Ø	600	4884.40	32.06	7.04	90
193	50	78	1200	8000.00	97.42	9.53	115
	40	110	1700	4434.50	60.65	13.07	116
192	55	110	1700	4553.90	79.27	12.33	116
187	55	100	1700	4610.50	89.74	10.87	127
196	5 <u>5</u>	5Ø	85 <b>0</b>	4718.00	35.21	6.77	127
58	5.5	84	1600	118.84	.20	14.80	
-1	55	82	1600	32.33	.20	11.48	142
h5	: 5	50	1000	4719.70	103.43	5.25	146
65	<b>5,</b> 5	7 Ø	1600	476.72	1.00		150
. 3-4 a. d	* ;	50	1700	4602.70	90.84	11.85 5.34	171
9.5	· , -	50	1700	4330.50	42.57	5.54	254

٠,4

## FILMED S-18